TASK FOUR: IMPLEMENTATION PLAN



VERSION 4 OCTOBER 4, 2001

1273 Bugeye Court Annapolis, MD 21403 WWW.EMSSTAR.COM



### DOCUMENT INFORMATION



# **Table of Contents**

1.	EXEC	UIIVE	5 5 U W	IMARY	1
2.	DESI	GN PR	OCES	SS	3
3.				ECOMMENDED SERVICE LEVELS AND ON PLAN	4
	3.1.	Regula	ation an	nd Policy	4
		3.1.1.	Reco	mmended Service Level-High	4
		3.1.2.	Finan	cial Implications	5
		3.1.3.	Ratio	nale	5
		3.1.4.	Imple	mentation Plan	6
	3.2.	Resou	rce Mai	nagement	8
		3.2.1.	Reco	mmended Service Level-High	8
		3.2.2.	Finan	icial Implications	9
		3.2.3.		nale	
		3.2.4.	Imple	mentation Plan	9
		3.2.5.	Vehic	eles and Equipment	10
		3.2	2.5.1.	Recommended Service Level-Average	10
		3.2	2.5.2.	Financial Implications	11
		3.2	2.5.3.	Rationale	
		3.2	2.5.4.	Implementation	12
		3.2.6.	Fire a	and Rescue Facilites	13
			2.6.1.	Recommended Service Level- Average	
			2.6.2.	Financial Implications	
		_	2.6.3.	Rationale	
	0.0	_	2.6.4.	Implementation Plan	
	3.3.			urces	
		3.3.1.		mmended Service Level- High	
		3.3.2.		cial Implications:	
		3.3.3.		nale	
		3.3.4.	•	mentation Plan	
	3.4.	Financ			
		3.4.1.		mmended Service Level- High	
		3.4.2.		cial Implications	
		3.4.3.		nale	
		3.4.4.	Imple	mentation Plan	21

### DOCUMENT INFORMATION



3.5.	Medica	I Direction	21
	3.5.1.	Recommended Service Level-Average	22
	3.5.2.	Financial Implications	23
	3.5.3.	Rationale	23
	3.5.4.	Implementation Plan	23
3.6.	Medica	l Facilities	24
	3.6.1.	Recommended Service level-High	25
	3.6.2.	Financial Implications	25
	3.6.3.	Rationale	26
	3.6.4.	Implementation Plan	26
3.7.	Trauma	a Systems	27
	3.7.1.	Recommended Service Level-Average	27
	3.7.2.	Financial Implications	28
	3.7.3.	Rationale	28
	3.7.4.	Implementation Plan	28
3.8.	Commu	unications	29
	3.8.1.	Recommended Service Level-High	29
	3.8.2.	Financial Implications	29
	3.8.3.	Rationale	30
	3.8.4.	Implementation Plan	30
3.9.	Respor	nse Preformance	30
	3.9.1.	Recommended Service Level-Average	31
	3.9.2.	Financial Implications	31
	3.9.3.	Rationale	32
	3.9.4.	Implementation Plan	32
3.10.	Data ar	nd Evaluation	33
	3.10.1.	Recommended Service Level-High	33
	3.10.2.	Financial Implications	34
	3.10.3.	Rationale	34
	3.10.4.	Implementation Plan	35
3.11.	Fire and	d EMS Operations and Transport	35
	3.11.1.	Recommended Service Level-Average	36
	3.11.2.	Financial Implications	37
	3.11.3.	Rationale	37
	3.11.4.	Implementation Plan	38
3.12.	Public I	Information and Education	39
	3.12.1.	Recommended Service Level-High	39
	3.12.2.	Financial Implications	40

### DOCUMENT INFORMATION



	3.12.3. Rationale	40
	3.12.4. Implementation Plan	40
3.13.	Fire Prevention	41
	3.13.1. Recommended Service Level-High	41
	3.13.2. Financial Implications	42
	3.13.3. Rationale	43
	3.13.4. Implementation Plan	43
3.14.	Training	45
	3.14.1. Recommended Service Level-High	45
	3.14.2. Financial Implications:	46
	3.14.3. Rationale	47
	3.14.4. Implementation Plan	48
3.15.	Water Supply	49
	3.15.1. Recommended Service Level-Average	50
	3.15.2. Financial Implications	
	3.15.3. Rationale	52
	3.15.4. Implementation Plan	52
3.16.	Emergency Management	
	3.16.1. Recommended Service Level-High	53
	3.16.2. Financial Implications	
	3.16.3. Rationale	54
	3.16.4. Implementation Plan	55
	3.16.4.1. Specialized Services	56
	3.16.4.1.1. Recommended Service Level-Average	56
	3.16.4.1.2. Financial Implications	
	3.16.4.1.3. Rationale	
	3.16.4.1.4. Implementation Plan	
	3.16.4.2. External Agency Relationships	
	3.16.4.2.1. Recommended Service Level- High	
	3.16.4.2.2. Financial Implications	
	3.16.4.2.3. Rationale	
3.17.	Integration	
J. 17.	3.17.1. Recommended Service Level-High	
	3.17.2. Financial Implications	
	3.17.3. Rationale	
	3.17.4. Implementation Plan	١ ت



# 1. EXECUTIVE SUMMARY

Loudoun County is the third fastest growing county in the United States. This presents unique challenges to systems planners, especially since most of the growth is occurring in the eastern portions of the County, leaving the western portions pristine, historically significant and predominantly rural. Although the rapid growth of Loudoun County is projected to steadily migrate to western portions of the County over the next few years, that migration has just begun. Thus, while western Loudoun County is still very rural, it is changing rapidly. This rural nature limits the availability of financial and human resources to meet increased demand for many types of services, including emergency services. Additionally, changes in expectation for services and a decrease in volunteerism have placed more stress on the current emergency response systems.

The Loudoun County Board of Supervisors, recognizing the rapidly changing environment issued a request for services to hire a consultant to develop a model Fire/EMS and Emergency Management Plan for Loudoun County. The EMSSTAR Group, LLC (EMSSTAR) was awarded this contract on October 27, 2000. EMSSTAR completed Task One: The Model, on May 6, 2001. After many public meeting to discuss the Model, and after several meetings of the Finance and Government Service Subcommittee of the Loudoun County Board of Supervisors, the Board voted to continue the project until all tasks were completed. The remaining tasks are, Develop Service Levels, Benchmark The County System, and Develop an Implementation Plan. Following completion of these tasks, the Board will reconvene and determine whether it will adopt the Model, Service Levels, and Benchmarking for implementation throughout the County. If the Model is adopted, the final task will be to develop a Service Plan.

In developing the model, EMSSTAR utilized over 20 assumptions based on data, interviews, history and tradition, system demands, growth predictions and various other indicators. Once the Model had been developed, Task Two was to develop three service levels, high, average and minimum, for consideration for each of the seventeen attributes of the Model. Additionally, EMSSTAR recommended a service level that it believes to be appropriate for the County for each of the seventeen attributes. EMSSTAR recognize that the cost implications of a high service level may be beyond current fiscal capabilities. EMSSTAR has therefore used a phased in approach to several recommended service levels giving the County the ability to fiscally plan for full implementation of the recommended service level within an appropriate time frame.

The third task assigned was to benchmark the current Countywide system against the attributes developed in Task One: The Model. There are several benchmarks for system performance including those developed by the National Highway Traffic Safety Administration and others. However, the contract specified that the system be benchmarked against the attributes of the Model. The reader should understand that this benchmarking process did not rank nor compare the Loudoun County System against other county systems such as Fairfax, Prince George, etc. Nor did this benchmarking process rank or compare the volunteer and career agencies within the County. Clearly individual companies may be above or below a certain benchmark as an individual organization. However, as required by the contract, the benchmarking process specifically measured the Countywide (not individual company) services against the seventeen attributes of the Model. This method allowed the Board of Supervisors to review the average level of services provided to the entire County population.

The fourth task assigned is to develop an Implementation Plan. This document represents task four of the contract. As instructed by the County EMSSTAR provides an implementation task schedule for each of the service levels recommended in Task two. Each schedule identifies a party responsible for implementing each activity. It is a companion document to Task One: The Model and Task Two:

#### **EXECUTIVE SUMMARY**



Service Levels and is used in conjunction with those documents. In this document however, for ease of understanding, the recommended service levels repeated.



# 2. DESIGN PROCESS

EMSSTAR used the expert panel approach to problem solving to develop this Implementation Plan and in doing so used the same team of national experts that developed *Task One: The Model*, and *Task Two: Service Levels*. Once the Model had been developed, The EMSSTAR Group developed three service levels, high, average and minimum, for consideration for each of the seventeen attributes. EMSSTAR also recommended a service level for each attribute that it believes to be appropriate for the County. EMSSTAR has made these recommendations based on the principal that the County is developing a "model" system for the future that is cost effective and provides quality emergency services. Each recommended service level included a "Financial Implications" and "Rationale" discussion. The Financial Implications figures are not hard costs or precise figures but rather serve as a starting point for consideration and offer a general discussion about the cost of each service level. These discussions include initial cost only. Yearly operating cost must be considered when determining short and long-term costs. Task 5, the Service Level Plan will establish estimated annual cost for each level. However, precise costing may be dependent on specific engineering studies, bid offerings, competitive pricing, in-kind services, agency sharing, County purchase rates, quality of service or product, etc.

This document represents Task Four: Implementation Plan. Upon acceptance of the recommended "Service Level", the County must move to implement the recommendations and make the model system operational. This step is one of the most critical in the development of a model system for the County. The implementation plan is general in nature and addresses the major points that must be accomplished to meet the adopted service level. EMSSTAR highly recommends that the County further develop each implementation plan with action steps, or objectives that must be accomplished in order to put the implementation plan into effect. A staff person should be assigned to that task and periodic reports to the Board of Supervisors should be made on the progress of implementing the plan.

EMSSTAR provides an implementation schedule for each of the recommended services level of each Model attribute. The time frame indicated is from a start date of January 1, 2002. The Board of Supervisors, or the Department could change the start date, but January 1, 2002 is a realistic time frame to begin the full implementation of this report. The time frames given are in ranges. The ranges indicate the time period that the majority of that implementation plan would be completed. This does not mean that pre-work should not be done prior to the start of any part of the plan, or that all the components would be completed by the end time frame. There may be unknown issues and problems that will be found and the time frames may prove to be too narrow. Furthermore, all of the time frames are subject to be changed, based on the dynamic nature of fire and emergency medical services demands. However, it is critical that time frames be established, adopted, revised – if needed, reported, and completed. Failure to monitor the progress of the tasks can result in the failure of that entire section to meet the service levels as adopted by the Board of Supervisors.

Each implementation task includes a responsible lead person each activity. This lead person is the position, or body that will be held accountable for completing the plans. It is fully understood and highly recommended that numerous personnel from all levels of the organization be involved in the development and implementation of the various plans. However, the ultimate responsibility for the plan will fall to the Chief of Fire and Rescue as the head of the organization and the one as charged by the Board of Supervisors as the responsible person for fire and rescue services in Loudoun County. Each of the following attributes corresponds numerically 1-17 to the Attribute found in the *Task One: The Model*, and *Task Two: Service Levels*.



# 3. MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN

Following is the Implementation Plan for each of the recommended service levels of each of seventeen attributes discussed in the companion documents *Task One: The Model*, and *Task Two: Service Levels*. The implementation schedule includes a responsible party and a timetable for each activity. The timetable begins from the date of model plan adoption. This Plan makes the assumption that that will be January 1, 2002.

# 3.1. REGULATION AND POLICY

This attribute provides for the administrative and promulgated authority to plan, implement, and monitor the performance of the emergency medical, fire, rescue, and emergency management services provided within the jurisdiction. It establishes the legal basis and requirements for service provision and the oversight thereof, to include definition of the extent to which the governing authority may act on behalf of the public interest in the event of a compromise to the availability and quality of any system component. The jurisdiction's ability and specific powers to offer emergency response and emergency management are articulated in appropriate mechanisms (i.e., ordinances and district rulings) and the conformity of services offered to all applicable Commonwealth laws and rules are assured.

# 3.1.1. RECOMMENDED SERVICE LEVEL-HIGH

There is a single department for fire/EMS and emergency management in the County. The Department includes all existing volunteer fire and rescue companies and all career personnel. There is a single Chief that has overall authority and responsibility for the provision of fire, EMS and emergency management services.

The Department has established one district encompassing the entire County and a comprehensive fire protection plan and ordinance that addresses the legal basis for providing fire and EMS, including the franchising or permit issuance for private non-emergency transportation services, the fee structure for any services operating within its jurisdiction, proposed resolutions pertaining to the operation of EMS agencies within the County, and all applicable operational parameters dictated as the County's prerogative under the relevant chapters of Virginia law and administrative code. The ordinance furthermore specifies the responsible party and methods of compliance required of all organizations (the Department and any others permitted or awarded a franchise) with the VA Motor Vehicle Code, including insurance requirements, the Drug Control Act, and child labor laws.

The Department, on behalf of the County, will apply for and maintain a single license from the Commonwealth embodying all EMS operations, including vehicles and personnel.

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



There is a Fire, Rescue, and Emergency Services Advisory Commission appointed by the Board of Supervisors that includes one citizen, two volunteer fire chiefs, two volunteer rescue chiefs, one career fire fighter and the system medical director. A member of the Board of Supervisors and the Chief actively participate as non-voting members. The Chief monitors and assures compliance of all operational components of the system with appropriate Commonwealth and local fire code, and compatibility with the Commonwealth EMS plan and Commonwealth EMS communications plan. The Commission is utilized for recommendations to the Chief on new initiatives, policies, protocols, response strategies, sophisticated challenges and other appropriate issues under its domain as defined by a charter approved by the Board of Supervisors.

The Advisory Commission assists the Chief in determining the method of executing the County's appointing authority role in submitting three persons and an alternate to be representatives to the Northern Virginia EMS Council and determining the length of office for each. All travel to and participation in the regional council quarterly and annual meeting is supported and funded by the County.

The Chief or his designee assures that responsibilities of disaster planning, disaster response and recovery are executed and integrated with the Commonwealth emergency management system.

A full time Medical Director provides off line medical control and oversight for all EMS services in the County, and arranges and monitors a system of on line medical direction for EMS providers to engage during direct patient care activities.

### 3.1.2. FINANCIAL IMPLICATIONS

Commission Administrative Support	\$38,000
Travel and Per Diem for Northern VA EMS Council Appointees	\$500
Deputy Chief for Compliance – Licensure, Permits, Plans	
and Regulatory Assurances	\$82,,000
Full Time Medical Director	\$180,000

# 3.1.3. RATIONALE

Dating back to the Emergency Medical Services Systems Act of 1973, and through to contemporary expert position papers and publications of organizations such as the National Highway Traffic Safety Administration, the National Association of EMS Physicians, the American College of Emergency Physicians, and the National Association of State EMS Directors, system regulation and centralized coordination of emergency response have been articulated as a necessary and desirable attribute of any high performance emergency medical system. An established and common approach in the Commonwealth of Virginia and many other states is a countywide all hazard department, typically fire department based and oriented.

Virginia Law acknowledges both the importance of centralized coordination though its fire district (16834 Virginia Code § 27-23.1 and EMS law (Virginia Code § 32.1-111.14) and related funding and compliance issues. The "high" service level attribute described above is indicative of a well exercised,

Prepared by The EMSSTAR Group,	LLC
Annapolis, MD	

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



highly seasoned fire/rescue organization where the day to day operational issues are resolved and standardized yet is continually improving under the vision and leadership of the Board of Supervisors through its Chief. A phased in approach to the high level of service is recommended for Loudoun County's consideration given the complex challenges the critical fire and rescue organizations are facing, both internally and externally.

It is unlikely that any system, even one desirous of significant improvement, can make a quantum leap change in short order; to that end, a phased approach to moving to a high level of service offers the best opportunity for success. During the transition period to the high level of service each Board of Supervisors member should consider the appointment of one additional member to the Advisory Commission from each magisterial district. These additional appointments should have no background in emergency services nor be affiliated with any emergency service organization. While this will significantly increase the voting members of the Commission the expansion of the Advisory Commission members will help ensure broad representation and increase the level of trust necessary to bridge to the future. The Commission should be intimately involved in making recommendations for performance standards, policy changes, response times, rural modifiers, staffing requirements, training, etc. in order to ensure an orderly transition to the high level of service. Active participation by the Chief and the Board of Supervisors representative to the Commission is critical during this phase of transition.

### 3.1.4. IMPLEMENTATION PLAN

- □ The County will develop an ordinance that will establish the position of Chief of Fire and Rescue (Chief), and the Board of Supervisors will take appropriate action to assign this position overall responsibility and authority for developing a County-wide Department, and for the overall delivery of fire, rescue and emergency services to the County. This position has the ultimate approval of all policies and actions in the Department. (0-3 months)
- ☐ The County Administrator will appoint a Chief of Fire and Rescue. (0-3 months)
- Establish the Fire, Rescue and Emergency Services Advisory Commission (Commission) with an action of the Board of Supervisors. Consideration should be given to having a larger commission in the beginning. That difference should be noted in the ordinance with a sunset clause that results in a smaller commission after a set period of time. The authority of the Commission should be delineated in the ordinance, but the Commission serves as advisory to the Chief. (0-3 months)
- ☐ The Board of Supervisors will appoint the members of the Commission. (0-3 months)
- ☐ The Chief will hire support personnel to work with the Commission to assure that the activities of the Commission have adequate support. (0-3 months)
- □ The Chief and the Commission will develop a comprehensive organizational structure and position responsibility document within six months. This document should be based on the needs for the Department over a five to ten year period. (3-6 months)
- ☐ The Chief and the Commission will disseminate the plan to all organizations and solicit comments for 30 days. (6-9 months)
- Revisions should then be made as appropriate to the organizational structure plan. (1 month)
- □ The Chief and the Commission will complete a comprehensive document that outlines the creation of the Department, including a vision, mission, and goal statements for the Department. (6-12 months)

September 26, 2001	Prepared by The EMSSTAR Group, LLC Annapolis, MD	Page 6	

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- ☐ The Chief and the Commission will present the Department document to the Board of Supervisors for official adoption. (9-12 months)
- □ Upon adoption by the Board of Supervisors, the Chief and the Commission will establish timelines for the implementation of the new organizational structure and Department. (9-12 months)
- ☐ The overall workings and oversight of policies, plans, permits, etc. shall be assigned to a Deputy Chief with that as his/her primary responsibility. (6-9 months)
- □ The Chief will work with the Commission to establish a process for the development a strategic fire and EMS protection and services plan. The EMSSTAR plan may serve as the base document for the plan. (12-18 months)
- □ The Chief and Commission will oversee the actual development of the plan and be responsible for the implementation of the plan. (Ongoing)
- □ The Chief and the Commission will take the necessary steps to solicit a designated County Medical Director. This position should have overall responsibility for the agencies in the County. A County council of medical directors may be an option, as long as the County medical director has overall responsibility for assuring a Countywide standard of care. (3-6 months)
- □ The Chief will apply for an EMS license through the State Office of Emergency Medical Services for the County as an ALS provider. Actions should be taken to assure that the component organizations can still apply for state EMS grants, and that a County license does not eliminate the component organizations from grant considerations. (12-18 months)
- An alternative plan should be in place in the event that one EMS license would prohibit organizations from obtaining grants. An option may be for the Board of Supervisors to enact an EMS ordinance that allows the component organizations to maintain their own license but come under the general oversight of the Fire and Rescue Department's Operational Medical Director. (12-18 months)
- □ The Chief and the Commission will hold a strategic planning retreat to establish goals for the development of policies and procedures to be developed. Further discussion will take place to look at strategic initiatives that the Department should be undertaking now and in the future. A time line should be assigned for each policy and an assigned person should be made the sponsor for each policy or section of the policy manual. (3-6 months)
- □ Committees will be appointed to work on the various policies and procedures. Time lines and expectations should be made explicit for the items to be returned to the Chief and Commission for adoption and implementation. (6-9 months)
- □ A formal implementation process will be developed for all policies. The process shall assure that all personnel are trained in new policies and apply them at all times. (9-12 months)
- □ The Chief and the Commission will establish a means to assure enforcement of Departmental rules and procedures. (12-18 months)
- □ The Chief and the Commission will develop a process for the airing of grievances. The process must be in accordance with the County's grievance procedure and serve as a tool for volunteer and career personnel to challenge actions or activities within the Department. (12-18 months)
- □ The Chief and the Commission will appoint three people to the Northern Virginia EMS Council to represent the Department. Action may need to be taken at the regional level to assure that three personnel can be appointed. This step may take an extended period of time due to terms of service on the Council. (12-18 months)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- □ The Chief will assign appropriate personnel to the Emergency Management Function. All disaster planning documents should be updated to reflect the new organizational structure and roles and responsibilities. (9-12 months)
- □ The Chief will begin the self-assessment process of the Commission on Fire Accreditation International as a roadmap for the development of programs and services within the Department. Upon the completion of the self-assessment process, the Department will be in a position to be reviewed to become an accredited fire agency. (36-48 months)

## 3.2. RESOURCE MANAGEMENT

This attribute represents an internal tool for the County and the Department to achieve a balance of expected response/performance standards, with the human and equipment resources necessary to meet those standards. A resource management plan for Loudoun County allows the Board of Supervisors, the Department, and ultimately the taxpayers to identify what resources are necessary to meet the defined emergency response needs of today as well as predict what resources will be necessary for anticipated future growth. An effective resource management program includes an inventory of existing resources in the County for fire/EMS/emergency management response and a plan that describes current deployment, utilization, and maintenance of resources along with a schedule for acquiring future resources based on need. The plan must also include a disaster/service recovery component that describes how to reestablish the system in the event of short-term failure (first 24 hours) and also how to manage longer-term failures (greater than 24 hours) while maintaining the integrity of the system. The goal of resource management is to match the necessary resources with the desired level.

## 3.2.1. RECOMMENDED SERVICE LEVEL-HIGH

An automated, centralized, inventory of resources is maintained for the County's single Department. This inventory includes the location and description of all fire/EMS/emergency management facilities (including water supply), durable equipment, vehicles, and personnel. For facilities, vehicles, and equipment, the inventory includes descriptive information about age, condition, and expected service life. For personnel, the descriptive inventory information should include tenure, rank, training and similar information. Financial information for facilities, vehicles, and equipment such as initial cost, cost of maintenance and repairs, number/type of responses, and time out of service is recorded. For personnel, financial information on wages paid (if any), costs of training, number/type of responses, accrued leave, etc are documented. The development of the resource inventory should be considered as part of the development of a comprehensive data/evaluation system.

The inventory provides the data for a centralized resource management plan that reflects the County's predetermined response standards. The resource management plan specifically identifies which resources the system is committing to meeting the predetermined response standards. Compliance with response standards is reviewed on a periodic basis with the resource inventory to identify current and future needs, manage existing resources to best match needs, and support planning for future resource acquisition. Effective resource management is heavily dependent upon a functioning data/information system that can monitor and document the status and experience with resources in

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



the system on an ongoing basis. Responsibility for developing and maintaining the resource management plan resides with the Chief of the Department.

The inventory system and resource plan has a detailed disaster/service recovery component that spells out exactly the steps to recovery. As required, agreements with vendors are in place that outline their part in the recovery process.

### 3.2.2. FINANCIAL IMPLICATIONS

Information and demand management systems staff su	ipport for 1.0 FTE \$80,000
Information systems Data entry Staff .5 FTE	\$20,000
Computer System with Software	\$10,000 Capital Cost

The direct costs of establishing and maintaining a resource inventory and resource management plan are largely included in expenditures for the comprehensive data/evaluation system, the communications system, and the personnel costs of a Chief. It may be reasonable to assign a full time information systems staff member to support the development and maintenance of the resource management plan.

### 3.2.3. RATIONALE

Resource management planning represents an investment in the efficient and effective use of available resources. Compared to the total costs of operating the system, the financial support necessary to develop and maintain a comprehensive resource management plan is modest. Irrespective of whatever service delivery model the County may ultimately choose, the information that a centralized resource management plan would provide will be useful for both daily operations and long term system development.

## 3.2.4. IMPLEMENTATION PLAN

- □ The Chief will develop a plan and secure the necessary hardware and software for a computerized database system for tracking all vehicles, supplies and resources for the Department. (12-18 months)
- □ The Chief will develop a plan for a comprehensive personnel database management system. This system should be totally interfaced with all other reporting systems in the Department, the County personnel system and with the volunteer length of service program. Staffing should be assigned to begin and maintain the system. (18-24 months)
- □ A standardized supply and inventory system will be set up for replenishing all equipment and supplies. (18-24 months)
- □ A master list of outside available resources will be developed and maintained. The Resource list should be established and a plan put in place for the periodic updating of the information on at least an annual basis. (12-18 months)
- The Chief and the Commission will develop plans to assure for the continuation of service and replenishing of supplies and equipment during disaster situations. Plans will be in place to handle the supplies necessary to handle mass casualty situations on a Countywide basis. (12-18 months)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



# 3.2.5. VEHICLES AND EQUIPMENT

This section continues to address the Resource Management Attribute. Effective emergency response requires that vehicles be in service and in a condition to withstand the rigors of emergency work. This places a heavy burden on the Department to assure that all vehicles are in a state of constant readiness, and meet all safety requirements in order to realize an uneventful response under emergency conditions. Emergency response places a tremendous stress on vehicles. The use of technology can lessen the stress on vehicles, however, the ever-increasing complexity of the electrical systems and on-board computers, make routine maintenance a necessity and not a luxury. Further, upon arrival at the scene, the equipment on the vehicles must be in a state of readiness and able to operate under the harshest of conditions. A good resource management plan will allow Loudoun County to maintain a quality fleet of emergency vehicles and state-of-the-art emergency equipment.

#### 3.2.5.1. RECOMMENDED SERVICE LEVEL-AVERAGE

An average level of service can be attained through the constant planning for and procurement of vehicles in a planned and orderly fashion. A vehicle and equipment replacement plan will be in place that will result in a replacement program for all selected vehicles and equipment in the emergency fleet. All vehicles must meet the applicable NFPA standards and GSA-KKK specifications for vehicles. All safety features must be maintained and utilized at all times. The County will purchase, insure, and maintain the following vehicles in the fleet: one engine and one tanker per station, one ambulance per station, ladder trucks stationed based on a risk assessment and response time analysis, and identified heavy rescue vehicles.

Repairs and maintenance for County-owned vehicles is completed at a County maintenance shop. Repairs are made by mechanics that are certified ASE mechanics and certified as Emergency Vehicle Technicians. Funding is provided directly to the volunteer companies for repair and maintenance. County maintenance and repair services are made available to volunteer companies, but volunteer companies can utilize other shops if they meet the minimum requirements. Volunteer companies are billed for labor and parts for repairs to volunteer owned vehicles and equipment. The Department must approve each repair shop and repair technicians must meet a minimum level of competency as determined by the Chief of Fire and Rescue.

Equipment is serviced by personnel that are trained in the many facets of emergency equipment repair such as hydraulic cutters and spreaders, and self-contained breathing apparatus. A minimum number of reserve apparatus is available for use while vehicles are out of service for repair and maintenance.

A routine maintenance schedule is in place for all County owned vehicles and equipment. Standard operating procedures specify the frequency of routine maintenance for all emergency vehicles in the County. Routine testing is performed on all County owned vehicles engines and transmissions and state-of-the-art computers are used in diagnosing problems with vehicles and equipment.

A standard set of specifications is in place for all vehicle purchases for County purchased vehicles. Specifications and bid prices are made available to volunteer companies for their use. A team of County personnel and volunteers meet regularly to develop vehicle and equipment specifications, and to review new technology for inclusion into future purchases. Long-term purchase contracts are in place to allow for standardization of vehicles and to gain a better price for bulk vehicle purchases. All County owned vehicles have a standard set of equipment based on the type of vehicle, and individual stations supplement the base equipment with items that are specific to the response district where the vehicle is assigned. Volunteer owned equipment will match the minimum set of equipment list. All vehicles must pass the annual Commonwealth inspection.

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



Computerized records are maintained on each vehicle and for every piece of equipment. County owned vehicles and equipment that are used on a regular basis will be moved to stations or vehicles where the use is lower. This will allow for an increased life expectancy of equipment and place the newest vehicles in high volume response areas.

#### 3.2.5.2. FINANCIAL IMPLICATIONS

The costs for the average level of service are considerably lower than the high level of service. The number of vehicles that the County would be responsible for is small compared to the total number of vehicles in the fleet.

Essentially, the County would have approximately \$700,000 to \$750,000 invested in equipment at each station. This would equate to one engine, one tanker, and one ambulance. In addition, ladder trucks would be funded at stations strategically located throughout the County.

The number of required mechanics would be reduced to 3 with a resulting total cost of \$150,000 for personnel cost. The cost for a maintenance facility would not decrease. The County would be remiss if a new facility did not account for the potential of repairing all emergency vehicles. Thus, the size of the facility should be planned based on the total size of the fleet of emergency vehicles in the County.

The vehicle repair cost will stay essentially the same as the high level of service if the County reimburses the volunteer stations for vehicle maintenance and repair. The total cost of the vehicle replacement plan will be considerably less under this service level. Approximately three engines, two tankers, and three ambulances would need to be purchased each year. When the cost of ladder trucks is amortized over the life of the vehicles, the annual cost of the vehicle replacement plan is approximately \$1.9 million.

#### **3.2.5.3. RATIONALE**

Using this methodology allows the County to assure that basic emergency vehicle needs are met in each station, while still allowing the volunteers to buy additional vehicles for their respective response areas. The implementation of a vehicle replacement plan gives the County the ability to plan for major purchases over a period of years. In addition, volunteer stations may want to opt into the replacement program for their stations in order to have matching vehicles when appropriate.

This service level also assures that ladder truck and heavy rescue squads are assigned to appropriate stations based on risk assessment and response time analysis, rather than on the desires of the individual stations.

Certified mechanics assure that vehicles are being maintained and repaired by qualified personnel. The complex systems in place on all emergency vehicles are simply beyond the ability of local repair shops to maintain. Making funds available to the volunteers for them to pay for repairs makes the coordination of the repairs much easier and reduce the possibility that vehicles are not repaired due to a lack of funding. Making the County repair shop available to the volunteer companies' further assists them in making sure qualified personnel repair their vehicles.

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



This service level continues to give the volunteers control over their respective vehicles, while setting up minimum expected standards for all emergency vehicles in the County.

#### 3.2.5.4. IMPLEMENTATION

- □ The Chief and the Commission will appoint an equipment standardization committee. This committee will be charged with establishing standards for personal protective equipment and emergency equipment for all of the component organizations. Once the list is established, all future purchases shall adhere to that standard, or in the case of personal protective equipment, must exceed the Departmental standard. All equipment must be fully capable of interfacing with all other similar equipment in the County, or the purchase should not be made. (18-24 months)
- □ The Chief will establish a budget process that allows for the purchase of equipment to bring all vehicles up to the minimum accepted standard. (12-18 months)
- □ The Chief will develop an equipment replacement plan that outlines the life expectancy of small equipment and a budgetary process will be put in order to assure the timely replacement of the equipment. (18-24 months)
- □ The Chief and the Commission will appoint an apparatus specifications committee. This committee will develop a standard set of specifications for the major pieces of equipment that the County will purchase. At a minimum, specifications will be developed for: Pumpers, Tankers, Ladders, Brush Units, Command Vehicles, Ambulances, and Heavy Rescue Squads. (12-18 months)
- □ The Chief and the Commission will establish an apparatus replacement program for all apparatus in the Department. (12-18 months)
- □ The Chief will work with the Purchasing Division to establish long-term purchase contracts for apparatus and equipment. This will allow for standardization for emergency equipment mounting and for ease of repairs by mechanics. (12-18 months)
- □ The Chief and the Commission will develop a plan for the integration of County purchased equipment into the Fire and Rescue fleet. A master plan will identify the order of purchase of vehicles and the station they will be assigned to over the course of the next 10 years. (18-24 months)
- □ The Chief will develop a comprehensive plan for the repair and maintenance of all emergency vehicles in the County. (18-24 months)
- □ The Chief will assign appropriate staff to manage the fleet, equipment and supplies for the Department. (12-18 months)
- □ The Chief will assign staff to develop minimum acceptable training levels for apparatus repair technicians, but at a minimum should be ASE and EVT certified. A detailed list of qualified mechanics and repair facilities will be developed and distributed to all stations and divisions. (12-18 months)
- The Chief will work with the County Administrator to develop a plan for the maintenance of emergency vehicles by the County. Consideration should be given to privatization of this function if the capability does not already exist in Loudoun County. (24-36 months)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- The Chief and Commission will establish a system for the repair of volunteer owned apparatus. This will include integration into a County operated/managed emergency vehicle repair facility or for the reimbursement of expenses at County approved facilities. (36-48 months)
- □ The Chief will establish schedules for routine maintenance for all emergency vehicles that operate in Loudoun County. (24-26 months)
- □ The Chief and the Commission will establish an equipment rotation schedule for County-owned equipment only. This will be in place to assure longer life spans of County-owned equipment. (36-48 months)

### 3.2.6. FIRE AND RESCUE FACILITES

This section continues to address the attribute of Resource Management. Locating and maintaining a fire and rescue facility is one of the most critical investments that the County can make. Proper placement of facilities based on data analysis can result in a tremendous decrease in response times, and provide for the addition of vehicles and personnel to all areas of the County. This section addresses the various options that are available in determining the location of fire and rescue facilities.

#### 3.2.6.1. RECOMMENDED SERVICE LEVEL- AVERAGE

There are fire and rescue stations located such that that every improved parcel in the urbanized portion of the County is located 2.5 miles or less from a station. In portions of the County not slated for urban or dense suburban development, stations are located such that that every improved parcel in the rural portion of the County is located 5.0 miles or less from a station. Each station has sufficient apparatus area, living quarters, office and meeting space, physical fitness area, and other desired spaces to meet the needs of volunteer and career staff. Each station meets all requirements for public facility access (e.g., compliance with the Americans With Disabilities Act, dormitory, lavatory, locker and shower facilities for male and female personnel). Other community resources (e.g., police report writing rooms, community meeting rooms) are co-located with the fire and rescue station. Rural fire stations have sufficient bay capacity. Each station has the capacity to house at least 6 response apparatus (primary engine, one other primary fire response unit, one EMS unit, one supervisory, special, or reserve apparatus, one water tender (tanker) and one brush unit. There are sufficient fire and rescue stations such that a flexible deployment EMS model (system status management) can be implemented which allows for most ambulance posts to be at fire and rescue stations.

#### 3.2.6.2. FINANCIAL IMPLICATIONS

The initial investment for this level is similar to the high level of service. In the long term, the cost will be less due to the lower density of fire and rescue stations based on a longer distance between stations. An Apparatus Deployment software package should be used for this level at the same cost estimate as established in the high level of service.

#### 3.2.6.3. RATIONALE

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



While it might be desirable to provide urban level fire and rescue coverage to all portions of the County (service level HIGH), doing so would prove to be an undue economic burden. Demands for service follow building density (for fire-related hazards) and population density (for EMS response). Therefore, it is appropriate to provide a suburban level of coverage in the more densely populated areas of the County, which enjoy a good road network and reasonable travel speeds. An acceptable level of rural coverage can be obtained using the 5-mile standard, so long as existing apparatus resources can be better distributed throughout the western portion of the County.

It is important to note that Loudoun County is well on its way to achieving the MEDIUM level of facility distribution. Loudoun County Fire & Rescue has been developing a well thought out facility location process, based on detailed urban planning data provided by the County. The Department has used modern, geographic information system – based planning tools and should continue to move toward its present program. It is recognized that achievement of the MEDIUM level of service will require significant capital expenditures, both to build new fire and rescue stations and to upgrade present stations to modern building standards.

### 3.2.6.4. IMPLEMENTATION PLAN

- □ The Department will develop a Request for Proposal for an Apparatus Deployment Software program. (6-12 months)
- □ The Department will assign an officer to work with the deployment software and develop a comprehensive report on current and future station locations. (12-18 months)
- ☐ The Chief and the Commission will develop a minimum accepted standard for fire and EMS stations in the County. (12-18 months)
- □ The Department will evaluate all existing stations to determine the adequacy physical aspect of the stations. (12-18 months)
- □ The Department will work with volunteer organizations and the County to complete a needs assessment for stations that need improvements to come up to a minimum standard. (18-24 months)
- ☐ The Department will institute a Capital Improvement Program proposal for the County Administrator based on the needs assessment completed by the Department. (18-24 months)
- □ The Department will assign staff to monitor and manage all construction and renovation projects in the fire and rescue stations. (24-36 months)
- □ The Department will work with organizations to determine response district needs and to plan for construction improvements that will house the necessary apparatus and personnel. (12-24 months)
- □ The Department will evaluate software that will allow for dynamic assignment of ambulances and personnel to best serve the citizens of the County and implement a system status management approach to EMS deployment. (24-36 months)
- □ The Chief will work with other County agencies and Departments to determine if fire and rescue facilities can be used for other community purposes or remote County office operations. (18-24 months)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- □ The County will work with surrounding localities to determine if co-located facilities are cost effective and feasible. If so, then a team shall be assigned to work on plans for consideration and possible implementation. (24-36 months)
- ☐ The Chief and the Commission will establish a long-term plan for fire and EMS station needs and present it to the Board of Supervisors. (18-24 months)
- □ The Chief and the Commission will work with existing volunteer companies to establish new or substation companies in new station locations. (Ongoing)

# 3.3. HUMAN RESOURCES

This attribute addresses personnel matters for volunteer and career Loudoun County Fire and Rescue Department members. It deals with active line, staff, support, specialty, and ancillary fire/rescue personnel, as well as with recruitment and retention of these members. Many of the personnel attributes will be mentioned in this section but where specialized areas also address personnel matters deference, should go to the specialized area. For instance, training affects recruitment, career development, and retention and is a vital human resource area that is dealt with specifically and separately in another area of this report. This attribute centers on the Department having central authority to generally make and enforce personnel policies. Depending on the regulatory model selected, those policies may be enacted by the Chief with the advice of the Commission.

Regardless of the selected implementation level associated with this attribute, the human resources polices and practices will, of necessity, have to comply with Loudoun County, Virginia, and Federal rules regarding employment, opportunity, discrimination, equity, pay, discipline, labor practices, contractual relationships, and other rules, agreements, practices, and ordinances. Therefore each level of service presented envisions the retention of central personnel functions by the Loudoun County Human Resources Division. The model also recognizes that individual agencies may take the lead role in recruitment and retention within their traditional geographic areas of responsibility. There is a long history of unmitigated success with the community fire and rescue companies providing competent personnel to staff much of the County's fire and rescue needs. Therefore we see these as complimentary services with the County's Human Resources Division providing the framework and technical advice and assistance to local volunteer agencies while providing the full personnel services for career components of the Department.

This attribute deals with personnel matters that impact the Department while recognizing that, in fact, the controlling department for Loudoun County career personnel matters is another department outside the control of the fire/EMS agency. Volunteer personnel on the other hand are recruited by individual fire and rescue companies. Retention of volunteers is largely the expectation of the volunteer company. Career development plans for both career and volunteers are mixed and tentative at best. Training for both career and volunteer personnel is covered in the section dealing with that specific subject matter. No attempt is included to deal with a change in the structure of the Loudoun County Human Resources Division.

### 3.3.1. RECOMMENDED SERVICE LEVEL- HIGH

The Department and the Volunteer Fire and Rescue Companies establish common recruitment, retention, development, benefit, and other personnel policies. This will result in uniform policies that can be consistently applied. Uniform qualifications for all personnel should result in full integration of

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



career and volunteer officers and firefighter/medics across the Loudoun County fire and rescue operations. A full-time staff/personnel coordinator is assigned to the office of either the Loudoun County Chief (preferred) or the Loudoun County personnel department (optional). This person will be charged with recruitment and retention of volunteers and developing or integrated policies for volunteer and career personnel in conjunction with the County Chief and designated staff, the Commission and the individual fire and rescue companies. Many similar agencies utilize a volunteer coordinator but this position is seen as more than that, being responsible for all personnel matters in the agency rather than just issues regarding the volunteer members.

Within each fire and rescue company a senior volunteer fire or rescue officer is designated to liaison with the Loudoun County Fire and Rescue Staff/Personnel Coordinator. This may be a part-time paid position that represents their individual agency's needs vis-à-vis volunteer recruitment, selection, and retention.

Integration-The staff/personnel coordinator will recommend policies, as consistent as practical with mission achievement, based on input from the volunteer agency liaisons. The Chief or human resources officer, based on choices outlined above, will be responsible for adoption and implementation of policies recommended by the volunteer coordinator. Assignment of operational fire and rescue personnel will be based on specific, professional qualifications as determined by Department personnel and operations policies. Upon full implementation, all personnel will be used in a fully integrated and seamless manner utilizing County career firefighters and officers integrated fully with the volunteer officers, medics and firefighters. Career personnel will be able to transfer between divisions of the Department at the same rank without applying for the job. All personnel will be trained to ensure knowledge of, and compliance with County personnel policies and officers (operational and organizational) will be responsible for assuring compliance by all assigned and attached fire agency personnel with these policies.

Authority- Consistent with the creation, adoption, and implementation of integration of the career and personnel policies and practices and training of <u>all</u> Loudoun County Fire and Rescue Department personnel (career and volunteer), the County Chief and the Commission, shall review and renew or enhance their polices regarding distribution of authority to execute policy (differing significantly from creating policy) with a goal of allowing company level supervisors authority to reward and discipline assigned personnel for minor events or recommend action to the appropriate level of authority with minimum loss of time between the event and the implementation of action. The policy should provide a framework for guiding the company supervisors. This should be supplemented by evaluation and policy administration training that all company officers undergo as part of initial qualifications with regular renewal or updating. Part of supervisory evaluations then become based on effective and timely management of reward/discipline and compliance issues within their company.

Personnel Recruitment- While the County's attempts for diversity are laudable, open external competition for company level promotions are extreme disincentives for fire and rescue agency members. Focus on targeted recruiting at the entry level and where an adequate pool of candidates exists for consideration at supervisory and mid-level management, curtail external recruitment and testing. However, volunteer members should compete for promotions and career positions at all levels as internal candidates. Once the recommended career development system is implemented, a volunteer officer or firefighter would be considered a legitimate candidate for appointment to career vacancies at the next rank for which they are qualified or for a career position at their current rank. Continue external recruitment for senior management positions and specialty staff positions. Entry-level recruitment for the career force should be well advertised within the volunteer companies and individual members should be contacted via mail, Internet, or other direct contact.

# 3.3.2. FINANCIAL IMPLICATIONS:

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



Personnel/staff coordinator's position salary and benefits 1.0 FTE	\$52,500
Office Space	\$3000
Administrative Support, .5 FTE training	\$26,250
Printing/publication	\$5000
Travel/transportation .	\$5000
Volunteer Fire and Rescue Coordinators @ 20 hours/month	
each totaling approximately	\$40,000

No additional benefits or costs anticipated for the staff.

**Other implications-** In addition to the dollar costs, there are likely to be organizational costs that may not be readily apparent. It seems that the appointment of the personnel/staff is likely to cause great disharmony among the volunteer agencies unless they have considerable input into the selection of that person. The appointment of liaison personnel within the volunteer agencies is likely to mitigate some of the opposition to County "control."

Use of a volunteer coordinator and agency liaisons assures all agencies have the opportunity to provide meaningful input into the development of policies.

### 3.3.3. RATIONALE

A consistent comment/input from all parties in the Loudoun County Fire and Rescue system was the lack of consistent policies and application of existing policies between career and volunteer members and equally between volunteer members at differing fire and rescue departments. Jointly developed policies and common standards and qualifications will enhance interoperability between the many volunteer fire and rescue companies as well as between those companies and the career staff. A common basis for managing and developing personnel of all categories provides a basis for appropriate and equitable management as well as providing accountability for performance for all members of Loudoun County's Fire and Rescue Services. Use of a volunteer coordinator and agency liaisons assures all agencies have the opportunity to provide meaningful input into the development of policies.

# 3.3.4. IMPLEMENTATION PLAN

- □ The Chief will assign a full time position to serve as the recruitment and retention officer for the Department. (0-3 months)
- □ The Chief and the Commission will develop a comprehensive recruitment and retention strategy and program for the Department. The recruitment and retention officer will be charged with implementing the program as established. (6-9 months)
- The Recruitment and Retention Officer will review all policies and procedures and produce a report on the impact of the policies on the volunteer companies. This report will be forwarded to the Chief and the Commission for their review prior to the adoption of policies. (6-9 months)
- □ The Chief and the Commission will establish minimum qualifications and position responsibilities for volunteer and career personnel. All stations will be required to adopt the minimum standards in order to remain qualified for the length of service program. (12-18 months)
- □ The Volunteer Recruitment and Retention officer will begin to serve as the volunteer personnel officer for all volunteer officers. (12-18 months)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- □ All new volunteers coming into the system will attend an orientation program to be conducted by the volunteers and the Volunteer Recruitment and Retention Officer. (18-24 months)
- Each volunteer station will appoint an active volunteer recruiter to serve on a Countywide committee to develop, implement, and evaluate recruitment and retention issues for the entire County. (6-12 months)
- ☐ The Chief and the Commission in conjunction with the Human Resources Division will implement a part-time or contract positions for the volunteer recruiters from each station. (12-18 months)
- The Volunteer Recruitment and Retention Officer will develop a comprehensive plan in conjunction with the committee that addresses a long-term approach to recruitment and retention. 12-18 months)
- ☐ The Chief will work with the Human Resources Division to develop and implement a comprehensive plan for the rotation and transfer of personnel within the same pay grade and rank at the discretion of the Chief for professional development and Departmental need. (6-9 months)
- ☐ The Chief will set up the first round of personnel transfers to staff positions to allow for professional development of the workforce in preparation for future promotions. (9-12 months)
- ☐ The Chief and the Commission will develop a program that allows career and volunteer personnel to apply for all positions within the Department for which they are qualified for. (12-18 months)
- □ The Chief will evaluate the integration of trained personnel into an abbreviated recruit school. This plan will not under any circumstances lessen the level of training for personnel, but will be based on demonstrated performance and a resulting increase in in-station personnel in a shorter period of time. (18-24 months)
- □ The Chief and the Commission will develop a process for station and company officers to enforce policies and procedures. A process will be implemented that authorizes the supervisors to reward or discipline personnel as may be appropriate. (24-36 months)
- □ The Chief and the Commission will develop an evaluation process for all new personnel and will implement the program throughout the Department. Training will be conducted for all evaluators. The evaluations will be kept in a centralized location and remain a part of the volunteer or employees service record. (24-36 months)
- □ The Chief will develop a Career Development Program (CDP) for all career personnel. This program should be aimed at allowing an employee to progress through pay grades without having to aspire to become a supervisor. This will greatly enhance retention efforts in the career staff. (24-36 months)
- The Chief will work with personnel to develop a comprehensive recruitment program. This program should target under represented protected classes and should have a goal of increasing the diversity of the career forces. The plan should be fully integrated into the volunteer recruitment effort and work toward a goal of a diverse career and volunteer Department. Adequate staff personnel should be assigned to the recruitment effort. (6-12 months)
- The Chief will set up an exit interview process and follow-up program for all career and volunteers that leave the Department. An annual report should be published that outlines reasons, trends, and solutions to reduce attrition in the Department in volunteer and career ranks. (24-36 months)

#### MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



#### **FINANCE** 3.4.

This attribute addresses the fundamental fiduciary responsibility and function of the Loudoun County Board of Supervisors in providing fiscal resources for the effective and efficient delivery of emergency services to the community. In his treatise "The Theory of Public Finance", Richard Musgrave simplifies the complex function of governmental budgeting to three distinct elements; the first element consists of an allocation decision (what services will be provided); the second, a decision that determines distribution of funds (who will get the benefits and bear the burdens); and third is the issue of stabilization and growth decision (what level of growth in income and price are acceptable). Through these various elements, the Loudoun County Board of Supervisors will apply its fiduciary and elected responsibility including establishing an appropriate mix of revenue sources to support the programs and services provided by the Loudoun County Fire and Rescue Department. Achieving an equitable balance will dictate a reliance on traditional sources and opportunities for revenue collection at the local level that primarily include the following sources of revenue: real and personal property taxes, sale-of-service fees, development charges and voluntary contribution efforts that are available to accomplish governmental and agency objectives.

### 3.4.1. RECOMMENDED SERVICE LEVEL- HIGH

The Loudoun County Board of Supervisors institutes a directed real tax equitably within the County to provide baseline funding for the agency's annual operating budget. The Board establishes a fire district as authorized under 16834 Virginia Code § 27-23.1 as the mechanism to promulgate the institution of a directed fire tax. Through this measure the board institutes a separate (distinct from the General Fund) Fire Fund as the accounting vehicle for revenues and expenditures. The Board institutes a formal development fee anchored to the agency's Capital Improvement Program and long-term planning process providing revenues to accomplish the agency's Facility Construction and Improvement Plan and the Vehicle and Apparatus Procurement and Replacement Program. The development fee is reflective of infrastructure costs associated with maintaining recommended service levels that are impacted by community growth. The Board institutes appropriate cost recovery systems for specialized programs and services amenable to fee-for-service charges. Specifically identified for these charges are services provided through the Loudoun County Fire and Rescue Department, Fire Prevention Bureau and Emergency Medical Services Programs. The Board continues to utilize the voluntary contribution program conducted by autonomous volunteer companies to augment baseline expenditures within the volunteer agency.

# 3.4.2. FINANCIAL IMPLICATIONS

If a fee-for-service approach is adopted then the County will need to either build or buy cost recovery services. In either case the process of moving to a cost recovery system generally includes the following components.

- Business Office Director 1.0 FTE \$70,000. Included in this role is establishing policy for billing, collection and third party payer contracting (Medicare, Medicaid, HMO's, etc.)
- Pre-billing phase (patient and billing information is verified)
- Billing phase (bill is generated and coordination of benefits completed)
- Post billing phase (payments are posted)
- Collections (internal and external collections and legal activity)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- Reporting, monitoring and compliance
- Total FTE for the County's system approximately 12 FTE's @ \$30,000 each = \$360,000
- Computer and software \$10,000
- Office space, office equipment, postage, will be added cost. The actual cost of establishing this office would require a detailed evaluation and plan. Based on a private EMS organization that is a complete fee-for-service system, we plan for each bill to cost between \$15-20 to produce and collect.

### 3.4.3. RATIONALE

The threat to eliminate the proffer system for operational fire/rescue costs by the Virginia legislature has serious implications for the manner in which emergency services will be funded in Loudoun County. Complicating the funding issue is the degree of autonomy previously exercised by some of the independent corporate volunteer organizations in which the proffer system served to functionally support the delivery of fire and emergency medical services. As a result of the demise of the proffers for the fire/rescue operational costs and the recommended systems approach to the delivery of services, Loudoun County officials will have to rely on traditional revenue sources to meet operational and capital obligations for their emergency services program.

The utilization of a directed real tax is consistent with historical revenue generation by local government and generally reflects approximately 50% of all revenues collected. The inelastic property of this tax and its equitable application based on value makes this an appropriate vehicle for consideration. The creation of a separate and distinct fund from the County's General Fund is recommended in lieu of raising the current general tax rate. Taxpayer acceptance will generally be enhanced by identifying the rationale and need for a separate tax given the recent legislative threat.

While the County's Fire/Rescue proffer policy was intended to provide a revenue stream to support the delivery of fire and emergency services in high growth areas of the County its demise stemmed to a great extent from its unequal application to constituent groups. However, local governments have increased their dependency on proffers to provide additional revenues for costs associated with new growth. The basic premise of a proffer is that growth should bear a proportionate share of infrastructure improvements associated with providing required emergency services generated by new growth. When properly and equitably formulated, these proffers have traditionally been upheld against legal challenges.

The utilization of fee-for-service charges has gained and continues to gain popularity in local government. Recognizing that users of a particular service that are amenable to charges should help to fund the delivery of the program and service has historically been recognized in areas such as parks and recreation (golf courses) and sewer, utility and water system through enterprise funds. Component elements of the fire emergency services delivery system are appropriate for considering the institution of user fees. Specifically, services provided through the agency's fire prevention bureau such as plan reviews, occupancy inspection and permit issuance are appropriate for cost recovery through this mechanism. These are services that are not required by the general population, are limited to a specific occasion and can be implemented with relative ease. Emergency Medical Service transports should also be considered as a potential area in which costs can be recovered. Inclusive is the recognition that constituents through their Federal tax dollars support the Medicare and Medicaid programs which will reimburse providers of patient transport services thereby providing additional revenue to local government. This influx of additional revenue reduces the fiscal impact of providing the service and correspondingly reduces reliance on local taxes generated from property owners.

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



The current composition of the emergency services delivery system has been highly dependent on voluntary contributions to support service delivery. This process is highly identified with volunteer services and should be continued to assist the volunteer agencies in enhancing service delivery within their sphere of responsibility. This funding mechanism will assist in lower operational costs supported by tax revenues and will serve to strengthen the transition from independent autonomous operations to a unified Countywide structure.

### 3.4.4. IMPLEMENTATION PLAN

- □ The Chief directs the completion of a comprehensive funding study plan and presents to the County Administrator for consideration. This plan should fully evaluate the different options for the imposition of a fire district tax. A fee for service for EMS should also be included for consideration. (6-9 months)
- ☐ The Chief will work with the Budget Office, the Assessments Division and the County Attorney's Office to determine the financial implications of a fire district tax. (6-9 months)
- ☐ The County Administrator and the Board of Supervisors should consider alternative funding options and make a determination if that is an option that should be implemented. (12-24 months)
- □ The Chief, in conjunction with the Budget Officer, will evaluate other fire and EMS services that are provided to determine if a cost recovery program could enhance the Departments operations. Special attention should be given to fire prevention activities, hazardous materials response, and stand-by operations. (6-9 months)
- □ The Chief and the Commission will develop standardized contracts between the County and the volunteer organizations that clearly delineate fiscal relationships, responsibilities and compliance requirements. (12-18 months)
- □ The Chief and the Commission will develop a plan to lessen the impact of any cost recovery program on the volunteer company fund drives. (6-9 months)
- □ The Chief and the Commission will develop a long-term financial needs analysis based on programs and capital improvement needs. Detailed projections for ongoing operating costs will be completed for each service delivery level in the EMSSTAR report. (6-12 months)
- Should the Board of Supervisors express interest in a fire district tax, EMS fee, or cost recovery for other services, the Chief shall develop a detailed plan for the implementation of such service. (12 –24 months)
- □ The Chief and the Commission will develop a public relations strategy to keep the citizens informed of funding changes. This strategy should be implemented as soon as discussion becomes public even if the ultimate decision is not to implement any changes. The public will be acutely aware of the discussion and accurate information will be essential in order to keep down rumors and speculations. (18-24 months)

# 3.5. MEDICAL DIRECTION

This attribute addresses Medical direction, which involves granting authority and accepting responsibility for the care provided by the EMS system and its personnel. It includes participation in all aspects of the EMS system to ensure maintenance of accepted standards of medical practice. To be successful at achieving quality for any system, in terms of its clinical success at effecting meaningful outcomes and proficiently providing appropriate levels of service, medical direction and administrative management components of the system must be working in concert.

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



In the Commonwealth of Virginia a medical director must be designated for each EMS agency. Certain routine tasks are incumbent upon the medical director. In the broadest terms, however, the medical director's role is to provide medical leadership for the system. He or she is the principal authority for granting clinical privileges, or providing local credentials for EMS personnel. The Medical Director maintains the ultimate responsibility for providing clinical direction to the system's personnel through protocols, standing orders, or "on-line" communication, affecting each and every EMS patient's care. It is he or she, working with the other leaders of the system, who is charged with ensuring the clinical quality of service. As the presence, or absence, of quality may be indicated by many measures, part of the medical director's responsibility entails assessing potential indicators of quality and implementing processes to achieve it. Thus, he or she is responsible for developing, maintaining, and improving perpetual efforts to evaluate the effectiveness and efficiency of the EMS system. The results of such evaluation guide further evolution of the system, so that it might best provide the desired level of service for the community it serves.

In addition to the EMS medical director, other personnel often serve vital roles to ensure the adequate provision of medical direction. These include individuals in administrative, support, and advisory capacities.

### 3.5.1. RECOMMENDED SERVICE LEVEL-AVERAGE

Loudoun County appoints a half-time Medical Director for its fire/EMS and emergency management system. The Medical Director is a qualified EMS physician by virtue of education, training, and/or experience. He or she is contracted for the service and reports to the Chief. The Medical Director works with the Chief to ensure the quality of service provided to the community.

The Medical Director has the authority to grant or deny clinical privileges to personnel within the EMS system, which includes all career and volunteer providers within Loudoun County. Working with a medical advisory group, he or she develops and maintains a system of clinical protocols and/or standing orders to facilitate the appropriate state-of-the-art care for all EMS patients. Additionally, the Medical Director maintains an accountable system to provide "on-line" medical direction via radio and/or other means of communication between EMS personnel and him/herself or designee(s). There is a staff paramedic that provides in-field staff support; manages data and information related to medical quality improvement; assists the part time medical director in overseeing implementation of medical quality improvement plans.

The Medical Director, working with the Chief and other administrative leaders and advisory groups, develops processes for EMS system evaluations of system structures, processes, and outcomes. The results of such evaluations are routinely and periodically shared with County leadership. The Medical Director routinely participates in the planning and provision of initial and continuing education of the County's EMS personnel.

By virtue of a County-issued response vehicle, the Medical Director is expected to provide occasional contemporaneous oversight of the EMS system and its personnel by responding directly to emergency scenes. Response to certain types of critical incidents is routinely expected.

He or she is the principal liaison for the County fire/EMS and emergency management to other health care providers. The Medical Director is supported by an ancillary staff member and shared clerical assistance.

The principal differences between high and medium service levels relate to the relationship between the County and the Medical Director (full-time employee v. contracted service provider). Although

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



many activities at both levels would be similar, the degree of commitment to the program and day-to-day involvement of the Medical Director at the higher service level would be expected to be greater.

### 3.5.2. FINANCIAL IMPLICATIONS

Medical Director (0.5 FTE)	\$75,000 (stipend)
Staff Paramedic (1 FTE)	\$54,800
Administrative assistant (0.5 FTE)	\$19,000
Response vehicle and equipment	\$35000
Indirect support office space and furnishings, computer	
communications equipment	\$75,000

### 3.5.3. RATIONALE

The importance of the role of medical direction in an evolving EMS system cannot be overestimated. As various elements of the fire/EMS and emergency management system necessarily garner the attention of the leadership from time to time, there must always be an eye on the people of the community and the patients the EMS system serves. The best avenue to guaranteeing that watch is by securing an adequate level of medical direction.

The High Level of Service is ideal, especially from a medical director's perspective. Clearly, it provides the greatest probability of attention to medical details. This level of commitment, both philosophically and monetarily, is found among larger cities and urbanized populated counties. While such an investment by Loudoun County would be laudable, the EMS system could likely reach its potential without incurring such an associated cost.

The Average Level described above involves a considerable commitment on the part of the County, one that it hasn't had to realize until now. However, it ensures that there is adequate clinical oversight of the system that is designed to provide clinical care. It helps to ensure that there is a measurable level of qualified physician input to a system conceived as an extension of physician care to the field. The County has recognized that it is or will be facing challenges with regard to its EMS system. Among these are the maintenance of quality in a growing system, the development and maintenance of a qualified staff, the provision of state-of-the-art clinical care appropriate to the environment, and trying interfaces with other local health care providers. Addressing these issues, among the many others, while advancing the system requires a degree of commitment and dedication from a medical director and staff. The Average Level of medical direction provides for a predictable presence and involvement of the Medical Director at all facets of EMS system planning, implementation, and evaluation. This participation in a system such as that in Loudoun County, administrative and medical direction management components working together, is paramount to the system's success in providing appropriate service to the community and in achieving meaningful outcomes for patients.

### 3.5.4. IMPLEMENTATION PLAN

The Chief solicits input from all EMS providers in the County as to their suggested qualifications for an Operational Medical Director. (0-3 months)

September 26, 2001	Prepared by The EMSSTAR Group, LLC Annapolis, MD	Page 23	
--------------------	---	---------	--

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- □ The Chief will develop a comprehensive Request for Professional Services for an Operational Medical Director. (3-6 months)
- □ The Chief and the Commission will appoint a review committee to interview prospective applicants for the position of OMD. The Committee will make a recommendation to the Chief upon completion of the review process. (3-6 months)
- □ The Chief will complete a contract for services for the OMD. Plans will be made to assure clerical support and adequate office space for the OMD. (6-9 months)
- □ The Chief will develop goals and objectives for the OMD and establish time lines for completion. This document should be referenced in the OMD's contract. (6-9 months)
- □ The OMD will meet with existing OMD's and establish a medical advisory group. The County OMD will serve as the chairman of the group with ultimate over-ride authority on patient care issues. (12-18 months)
- □ The OMD will work with the medical community to review all existing protocols and standing orders. A complete review of the "on-line" medical control" program will be completed and adjusted as required. (12-18 months)
- □ The OMD will establish policies for the utilization of air medical transport services. (12-18 months)
- □ The OMD will develop a comprehensive evaluation process for all EMS providers. Software should be developed or purchased to assist in tracking EMS providers. (18-24 months)
- □ The OMD will develop a quality assurance review process that provides written feedback to each ALS provider and to each ALS Company. (18-24 months)
- □ The OMD will establish a schedule through which to conduct ride-alongs with various companies in the County. (12-24 months)
- □ The OMD will meet routinely with area hospitals and evaluate care given by County personnel. (18-24 months)
- ☐ The OMD will develop a means to evaluate patient outcomes as a result of EMS care delivered by County personnel. (24-36 months)
- □ The OMD will present a semi-annual report to the Chief and the Commission that outlines accomplishments of the last six months, plans for the next six months, and issues that need to be addressed for improvement of the overall system. The report will be given to the County Administrator and the Board of Supervisors. (6-12 months)

# 3.6. MEDICAL FACILITIES

Hospital emergency Departments or freestanding emergency facilities (e.g., ACCESS) are the receiving stations for emergency medical services patients, and are integral to the system. For the EMS system to be both effective at contributing to improved patient outcomes and efficient at delivering service, appropriate medical facilities must exist and be available to accept EMS patients.

The availability of emergency facilities should enable the EMS system to deliver the spectrum of its patients to appropriate sites for care in a timely manner. The meaning of "timely" is ultimately at the discretion of the EMS system and the community it serves. For example, in an urban setting one might expect that a seriously injured person arrive at a tertiary care trauma center within 20 minutes of

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



the injury. There may be more than one trauma center available to help meet that goal. In a more suburban or rural area the expectation for patient arrival at a trauma center may not be for 60 minutes or more, and many such patients may be preliminarily transported to a community hospital for initial stabilization. Similar sorts of variation in expectations may be applied to patients suffering from acute stroke, heart attack, and other conditions.

As treatments for certain maladies advance, such as primary angioplasty for acute myocardial infarction and thrombolytic therapy for acute stroke, it is incumbent upon EMS system leaders to make responsible decisions for their communities regarding acceptable receiving facilities and tolerance for transport times to reach definitive care. While there are guidelines that establish the windows of opportunity to provide certain care, and triage guidelines help to determine the appropriateness of air medical transport, there are no standards that provide direct guidance to community leaders facing issues related exclusively to transport times.

All emergency medical facilities designated to receive EMS patients incur responsibilities to the system. Among these is responsibility to be a partner with the EMS system in the delivery of emergency care to the community. Partnership entails working with EMS system leaders to establish appropriate patient destination guidelines, participating in evaluation and quality improvement efforts by providing needed data and information, and committing address issues relating to diversion or bypass practices. Collaboration among EMS systems and emergency medical facilities can also lead to development of resources for education, evaluation, medical direction, and logistical support. Synergistic efforts to improve community health through education and prevention initiatives can also be pursued.

### 3.6.1. RECOMMENDED SERVICE LEVEL-HIGH

EMS protocols provide guidance related to patient transport. These include delineation of specific centers as they relate to certain patient groups (e.g., pediatric trauma, acute stroke, and others). The EMS system maintains formal relationships with all routine receiving facilities. These relationships foster collaborative efforts to resolve EMS system issues, achieve the greatest likelihood of optimal patient outcomes, and improve the overall system. Furthermore, emergency facilities that routinely receive EMS patients readily participate in system evaluation and quality improvement efforts, in part by providing needed data and information.

Benchmarks are established and continually evaluated regarding transport time intervals for various groups of patients. The availability of emergency facility resources enables at least 95% of EMS patients to be transported to their receiving facility within 30 minutes. Plans are developed and eventually implemented to maintain a second emergency medical facility within Loudoun County. Loudoun Hospital Center and the second facility serve as the foci for EMS system – medical facility relationships. Also refer to Trauma Systems Service Levels (3.7.1).

## 3.6.2. FINANCIAL IMPLICATIONS

Receiving Emergency Medical Facility Advisory Group	\$1,000
Development costs related to establishing new emergency	
Medical receiving facility	No cost to Department
No other direct costs for the County	

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



### 3.6.3. RATIONALE

Enhancing the quality of emergency medical care in the community, and striving to improve community health requires a collaborative effort. Essentially, the Loudoun County EMS system provides a great service, not only to its community constituents, but also to the medical facilities to which it transports its patients. As part of their declared commitment to the community, these facilities are obliged to participate, with the EMS system, in efforts to improve care and the manner in which it is delivered.

As the sophistication of definitive care for serious and often debilitating illnesses and injuries has evolved tremendously over the past several years, disparity has often developed among hospitals' abilities to deliver optimal care. The EMS system has a duty to be cognizant of these disparities, when they exist. Stated another way, the EMS system of a technologically advanced and sophisticated community should be aware of where the best care can be delivered to its community members, and seek that care for them when it is appropriate and feasible.

It is imperative that there be some basis for determining the appropriateness of transport time intervals. Establishing benchmarks for certain types of conditions, and for the EMS system as a whole, will help.

The EMS system needs a "medical home." As Loudoun Hospital Center is currently the only facility in the County, it should serve that role and be the model for relationships between the EMS system and other EMS receiving medical facilities.

The high service level indicates the need for an additional EMS receiving station within Loudoun County. It is important to realize that this recommendation is made on the basis of the understanding of the current demography of the County and its anticipated expansion, and an understanding of the current stresses of the EMS system related to receiving medical facilities. A second facility is suggested as a solution to the occasionally saturated current facility, and could furthermore be positioned to provide improved access to some of the County's EMS providers. This report, however, cannot include recommendations regarding the exact nature of a second receiving facility, as the analysis required for such decisions is not within the scope of the current work plan.

The average level of service described above is only minimally progressive. It fails to embody the synergy that can be achieved through collaboration of the host of receiving medical facilities with the EMS system to improve emergency care to the community. It describes only modest efforts by the EMS system to be proactive in delivering its patients to optimal care in a timely manner.

The minimum service level described is not at all progressive. It is not commensurate with the future of Loudoun County or its EMS system, as EMSSTAR has come to understand them.

As Loudoun County continues to evolve, its fire/EMS and the Department will necessarily evolve as well. Part of that evolution should be in terms of the relationships between the EMS system and the medical facilities to which and for which it provides service.

### 3.6.4. IMPLEMENTATION PLAN

- □ The Chief and the Commission establish a Task Force of EMS providers and local hospital managers to address hospital and field operations. (3-6 months)
- □ The Task Force will review existing procedures to determine where changes may facilitate patient transport. New policies and procedures will be developed as necessary. (6-9 months)
- ☐ The Chief and the OMD will establish data collection and information systems to track hospital diversions and patient outcomes as a result of the diversions. (6-9 months)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- □ The Department will work to develop a partnership with community hospitals, specialty care and tertiary facilities to assist in training personnel and in providing equipment and supplies as needed for special situations. (12-24 months)
- ☐ The Communications Center will track transport times and provide a monthly report on those times to the Chief. (3-6 months)
- □ The Department will work with the medical community to secure a second emergency treatment facility in the County as appropriate. (Ongoing)
- ☐ The Department will take an active role in supporting the local hospitals bid for new beds, through the use of data in regards to emergency patient transports. (Ongoing)

# 3.7. TRAUMA SYSTEMS

This attribute addresses the trauma care components, which must be in place and integrated with the overall EMS system. All personnel functioning within the EMS system – both pre-hospital and inhospital – should have knowledge of the capabilities of each of the institutions that are available for the destination of the severely injured within Loudoun County. This should include the availability of burn centers, spinal cord centers and trauma centers. For this to function smoothly, criteria for triage and transfers should be developed, as well as data collection from both pre-hospital and hospital data. It is essential that that feedback (both positive and negative) be given to the providers of care; and that when necessary, educational programs should be instituted to meet needs. Trauma centers should be linked to acute rehabilitation where patient need mandates such referral patterns. Information and trends from the data collected on trauma patients should be reflected in local injury prevention programs and public educational materials.

# 3.7.1. RECOMMENDED SERVICE LEVEL-AVERAGE

The existing hospital resources are upgraded to meet Level III Trauma Center standards. Under this level of service, most of the trauma of the County would continue to come to the local facility. After evaluation, those patients who would require complex intervention, such as those patients with a ruptured aorta, would be transferred to Level I or a Level II in the metro Washington, DC area. The majority of trauma patients would be treated at the local level. Severe pediatric trauma or spinal cord injuries could either be stabilized at the local facility and transferred or directly evacuated from the scene, either by ambulance or helicopter, to designated facilities outside the County. System trauma triage criteria will be developed for all County EMS personnel and compliance with these would be monitored by the County Trauma System Coordinator. This individual would review EMS data and hospital discharge data to determine areas of the County with a high prevalence of acute injury. Within the County programs would be developed that would address these identified areas by appropriate public information and injury prevention programs. It is anticipated that implementation of a Level III Trauma facility would not raise as many political obstacles that would be expected by neighboring Level I Trauma Centers.

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



### **3.7.2.** FINANCIAL IMPLICATIONS

Hospital Costs: A detailed analysis would need to be performed of the capabilities of the local institution and the necessary requirements to proceed to Level III verification by the Commonwealth of Virginia. All of these costs would be assumed by the hospital.

County Costs: At the County level, it is anticipated that a 50% FTE, \$35,000 as a Trauma System Coordinator could achieve the functions of necessary feedback to local rescue squads and EMS personnel and analyze and implement appropriate prevention and public education strategies.

### 3.7.3. RATIONALE

The existing prevalence of major trauma is approximately one major trauma patient per 1,000-1,250 population per year (American College of Surgeons-Committee on Trauma.) Under this scenario, the projected County population of 400,000 would generate approximately 400 major trauma patients per year. While approximately 15% of these would be severely injured pediatrics, major burns and spinal cord injuries, the estimated 340 patients would be hospitalized at the local level. It would be anticipated that as the County re-evaluates and builds hospital facilities to manage the increasing population, the capabilities required to meet population needs would be easily modified to meet Level III Trauma Center criteria. While this may not be possible in the short-term (1-2 years), this should be envisioned as a more long-term project. In conjunction with the hospital, the County should fund the 50% FTE and provide appropriate feedback to EMS providers. In addition, the public information and prevention activities should be controlled at the local County level, rather than be dependent upon outside sources.

## 3.7.4. IMPLEMENTATION PLAN

- □ The Chief and the Commission will meet with the hospital to discuss trauma-related services and issues. Pending the outcome of that meeting, a standing committee should be established in the Department to assist the hospital in regards to the exploration of the Trauma Center designation. (18-24 months)
- □ The Department will establish a part-time position for a Trauma System Coordinator. This position will work with the hospitals and the County to track trauma cases and determine outcomes and impacts of the EMS program in the County. (24-36 months)
- ☐ The Department and the Operational Medical Director will review all policies as it relates to trauma care and transport and make the appropriate changes in protocols. (18-24 months)
- □ The Department will establish injury prevention programs based on the data that is collected from the hospital based on actual injuries in the County. The program should be focused on content and in geographical regions of the County as the data indicates. (24-36 months)
- □ The Department will work with the hospital on an ongoing basis to assure that high service levels are delivered to all citizens and visitors in the County. (Ongoing)
- ☐ The Department will develop injury prevention programs that will be delivered at all County schools, public and private. (24-36 months)
- □ The Department will develop and distribute public information pamphlets that inform the public of injury trends, prevention, and proactive steps that can be undertaken in communities and neighborhoods. (24-36 months)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



# 3.8. COMMUNICATIONS

This attribute addresses public access to the system and the ability of all system elements to effectively and efficiently communicate amongst themselves. It includes telephone access (hard-wire and wireless), central alarm station monitoring, radio dispatch and paging, and radio communication between dispatch centers, mobile units, and portable units. At the higher levels, it also includes digital data communication between dispatch centers, mobile, and portable units.

### 3.8.1. RECOMMENDED SERVICE LEVEL-HIGH

State-of-the-art telephone equipment, compliant with the FCC Phase II wireless initiative, is utilized by centralized call-takers to receive all emergency and non-emergency requests for service from the public. Accurate geographic databases allow for automatic location of 99.5% of all telephone calls. Requests for service are quickly routed to appropriate dispatch personnel, who are able to simultaneously dispatch appropriate units and provide pre-arrival instructions to callers. Initial responding units are alerted within 30 seconds within initial call classification, and additional resources are dispatched as further information becomes available. All public safety response personnel in Loudoun County (law enforcement, fire, rescue, EMS, emergency management, public works, and transportation) utilize a common, state-of-the-art voice and data communications system (at this time, probably trunked 800 mHz), allowing segregated communication for day-to-day events while allowing easy inter-operability with other County departments. The system is fully inter-operable with all surrounding and concurrent jurisdictions (Commonwealth and federal).

## 3.8.2. FINANCIAL IMPLICATIONS

Cost: Estimate: \$40-50 million for an all-new system.
CAD system (replace current CADs): \$2,000,000
800 mHz radio control system (Motorola Smart Zone® or equiv.) \$2,000,000
Trunked radio sites with hardware and connections\$14,000,000
(14 @ \$1 million ea.)
Computerized telephone system with ANI, ALI, phase 2 \$1,000,000
(Plant Vesta® system or equivalent)
Mobile and portable radios 2500 @ \$2,500 each\$5,000,000
Engineering, communications center configuration, etc\$2,000,000

Precisely fixing a cost for a complete public safety communications system is well beyond the scope of this report, and requires the expertise of a sophisticated engineering firm specializing in public safety communications. Moreover, this system element needs to be considered independently from system structure decisions, because communications systems are necessary regardless of the organizational structure and characteristics of delivery personnel (volunteer, career, or both.)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



### 3.8.3. RATIONALE

Loudoun County exists in a complex communications environment. Although much of the County thinks of itself as rural community, it lies in an area that presents the most substantial communications challenges available. The multi-jurisdictional nature of the metropolitan Washington DC area, and the co-location of Washington-Dulles International Airport, along with the proximity of the Maryland border and a significant federal presence pose great challenges to Loudoun County's communications system. Moreover, the area faces a higher likelihood of disasters (aircraft and transportation accidents, weapons of mass destruction) due to the proximity of the federal enclave, the presence of major information infrastructure providers, and the extensive transportation network. Accordingly, anything less than full functionality and absolute reliability will not serve the County well moving into the future.

### 3.8.4. IMPLEMENTATION PLAN

- ☐ The Chief will work with the County Administrator to develop a Request for Proposal for a needs assessment, design, and specifications for a state of the art voice and data communications system. (6-18 months)
- ☐ The Chief and the Commission will appoint a communications committee that will work to review all communications systems and to make recommendations to the Chief and the Commission. (6-18 months)
- □ The Department will work with the County to evaluate the existing Computer Aided Dispatch (CAD) system. This evaluation will determine the interoperability options with other software packages that operate Mobile Data Computers (MDC's) (12-18 months)
- ☐ The Department will evaluate the use of MDC's in all first line apparatus. (12-18 months)
- The County will develop a Geographical Information System (GIS) that interfaces with the CAD system and the MDC's. (24-36 months)
- □ The Department will establish the requirements for software systems that will be fully integrated with a computer aided dispatch system and MDC's. (12-18 months)
- □ The County will assure that fire and EMS communications are a priority in the communications center and that adequate staffing is available to meet system demands. (18-24 months)
- □ The County will establish a cross-functional team of departments in the County to address communications issues. This team will work with surrounding localities, state and federal agencies to assure that all radio systems are interoperable. (6-12 months)
- ☐ The Department will assign the responsibility for radio system control to a staff position. All changes alterations, and enhancements will be coordinated by this position. (12-28 months)
- ☐ The Chief will work with the County Administrator to assure that communications needs are met and that the systems meet the needs of the County for the next 10 years. (Ongoing)
- □ The Chief and the Commission will establish as a standard communications policy for all operational activities. (6-12 months)

# 3.9. RESPONSE PREFORMANCE

This attribute addresses performance standards for emergency response Countywide. Rapid response is critical in sustaining a good outcome on fire and EMS emergencies. During medical

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



emergencies, the outcome for the patient is often directly tied to the entry into the EMS system, speed of the delivery of basic life support with early defibrillation, followed by advanced life support with transport to an appropriate medical facility. In fire responses, the goal is to establish an effective fire attack prior to the point of flashover. Flashover is the point when everything in a room is heated to its ignition temperature, at which time the room is fully consumed in flames. When flashover occurs, the contents of the room or building are destroyed, and the danger to firefighters and fire victims is at an unacceptable level. In most cases, people that are caught in a flashover are unable to live through the fire. The point that a flashover occurs is dependent on contact time and heat potential of materials in the room.

This attribute addresses this entire continuum, as a comprehensive system is one that minimizes the amount of time required for each element. However, the major thrust of this attribute is to reduce the elements that are defined as response times.

### 3.9.1. RECOMMENDED SERVICE LEVEL-AVERAGE

An average level of response performance will result in response times for all fire and EMS responses that meet the community's expectations for rapid response. A complete risk assessment for the County will be completed and maintained. The Department will have a Standard of Coverage document that is based on the risk assessment and on an urban/rural designation. Response time goals to rural areas of the County will be longer than urban areas, based on travel distance that is required in rural areas.

All measurements of response time will be fractile response times that exceed national guidelines for response times (NFPA, CAAS, CAFI). The use of average response times will be used for information purposes only and will not be used to measure performance. The standard of cover will differentiate different levels of risk and geographical location, and correlate response times according to risk and location. Response time goals for urban and rural areas will meet the accepted standard of providing basic life support and advanced life support for all life threatening calls 85% of the time, in accordance with the standard of cover. Alarm processing and turnout times meet set benchmarks.

Response times for fire responses will allow time for response to the emergency and set up for fire attack prior to flashover to typically occur in the type of occupancy that the response is being made for.

The Department will have a standard deployment plan that outlines the number of personnel needed to perform tasks that are required for various emergencies scenarios. Dispatch assignments will be made based on the number of personnel needed to safely perform identified tasks.

All personnel that respond to incidents will be properly trained to the national or Commonwealth standard for the respective response.

# 3.9.2. FINANCIAL IMPLICATIONS

Financial implications will be the same as the high level of service in the short term. In the long term, the cost for this level of service will be lower due to the longer response time goals and for the 85% compliance rate in comparison to the 90% compliance rate for the high level of service.

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



### 3.9.3. RATIONALE

The average level of service sets the Department up to meet national standards and recognized guidelines for fire and EMS responses (NFPA, CAAS, CFAI). A risk assessment has been completed that will give the Department information about the risk throughout the County. It then further divides the County into urban and rural areas. Given the diverse areas of the County, it is not realistic to believe that response times will be as fast in rural areas as they are in the urban areas. This level of service realizes that reality and gives the Department and the County the ability to set different standards based on a good risk assessment.

A unified standard of cover sets the minimum amount of equipment and personnel that are necessary to successfully mitigate emergency situations. This assures that all tasks can be completed in a timely fashion and thus will result in a faster resolution to the emergency. The standard of cover also ties directly into the risk assessment to assure that high risk properties get the necessary response force, while lessening the response force to low risk emergencies such as rubbish fires or dumpster fires.

The measurement of response times under this level serves a two-fold purpose. First, it measures them in fractile times rather than average times. Average response times means that 50% of the time a response time is better, and 50% of the time, a response time is worse. Fractile response times measure how often the Department is meeting the stated goals. Secondly, an 85% compliance rate as outlined in this level is very realistic and can be accomplished with good planning.

Lastly, once personnel are on the scene, it is critical that they be properly trained to perform emergency tasks. This level will assure that they meet national and Commonwealth standards in order to effectively take the appropriate action based on the emergency at hand.

### 3.9.4. IMPLEMENTATION PLAN

- □ The Department will develop a risk assessment process for all County areas. This process should be such that it will integrate with the MDC's and be readily available to responding units. (6-18 months)
- □ The Department will assign a staff position/s to evaluate risk and to complete a full report of the fire, EMS, hazardous materials, and special emergency potential for all areas of the County. These positions should be capable of performing research, data analysis, and planning for the Department. (12-18 months)
- □ The Department will develop a Standard of Cover for the varying classes of emergency response. This standard will be directly related to the risk assessment document and reflect a response based on the needs to adequately respond to the risks in the areas of the County. (12-18 months)
- □ The Department will evaluate the Computer Aided Dispatch program to determine if the system will be capable of handling numerous dispatch protocols based on the Standard of Cover. (12-18 months)
- □ The Department will develop dispatch protocols for different classes of incidents and based on the standard of cover document. (18-24 months)
- The Department will designate rural and urban service areas. (3-9 months)
- ☐ The Chief and the Commission will establish variable response level criteria based solely on urban and rural designations. (6-9 months)
- □ The County will develop an RFP for an Apparatus Deployment Software package to evaluate responses in the County based on previous data from the CAD system. (12-24 months)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- □ The Department will establish standard reports that outline response performance in fractile measurements. Reports will outline performance of each station, time of day, type of call, etc. All reports will be distributed to each station, officers in the Department, the Commission and the County Administrator. (12-18 months)
- □ Upon completion of a fractile analysis of the past years set of data, the Chief and the Commission will review the shortfalls and develop a plan to assure that a 85% compliance rate is obtained for all responses. (12-18 months)
- □ The Chief and the Commission will establish response time standards for the standard of cover documents and for urban and rural response areas of the County. The standards will be based on national standards for fire and EMS response such as the Commission on Fire Accreditation International, National Fire Protection Association, American Ambulance Association, Commission on Ambulance Accreditation Systems, American Heart Association, etc. (12-18 months)
- □ The Chief and the Commission will establish the number of personnel needed to for each standard of cover and level of risk. The established number will be integrated into each aspect of the dispatch protocol to assure that adequate personnel are dispatched to incidents. (12-18 months)
- □ The Department will develop a system that will track personnel on physical standby in stations or on apparatus, and the system will integrate with the CAD system to increase or decrease response levels based on available personnel. (24-36 months)
- □ The Department will develop a means to assure that personnel responding to emergency incidents meet training standards. EMS personnel will meet the minimum standards as set forth by the Virginia Office of Emergency Medical Services. (18-24 months)
- □ The Chief and the Commission will develop a standard measurement that will be used to determine when career personnel should be added to a station or to a shift. This standard will be based on data evaluation and will be made to assure continuity of service to all areas of the County. (6-12 months)

## 3.10. DATA AND EVALUATION

This attribute speaks to the ability of the system to account for its performance to the authority having jurisdiction, to the citizens of the jurisdiction, and to the internal structure of the Department. It addresses the reporting of data concerning the efficiency, effectiveness, and quality of service delivery by those delivering the service, as well as the analysis and reporting of that data to those responsible for policy-making, administration, and management of the system.

## 3.10.1. RECOMMENDED SERVICE LEVEL-HIGH

There is a comprehensive and sophisticated records management and reporting system that is fully integrated with Loudoun County's computer-aided dispatch system. This system allows for real-time or near real-time reporting of service delivery data, including:

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- Fire response and suppression;
- EMS response and patient care delivery;
- Fire inspections and investigations;
- Fire, EMS, and administrative training activities;
- Resource tracking (fire hose, medical equipment, etc.);
- On-duty and volunteer personnel activities (scheduling and on-duty time, volunteer responses and point accumulation); and all other Department activities.

There is sufficient staff qualified for and dedicated to the information gathering and analysis function, with appropriate analytical tools to manage the system and to produce useful, high-quality output for all consumers of fire and rescue data. Field personnel (firefighters, EMTs and paramedics, inspectors and investigators) are connected to the records management and reporting system by wireless networking or other appropriate technology.

## 3.10.2. FINANCIAL IMPLICATIONS

Records Management System	\$500,000
(central hardware and application software)	
Annual licenses and maintenance	\$75,000
Wide area network to all stations	Variable
Workstations (2 per fire station @ \$2,000 per unit, plus HQ)	\$34,000
Wireless modems, 1 per apparatus, inspector, supervisor @ \$1000 ea	\$215,000
Wireless connection service @ \$600/year/unit	\$120,000
Software for analysis and report production	\$10,000
Large-scale plotter/printer	\$15,000
Unit Manager (Senior GIS and Database Analyst)	\$60,000
Database Analyst/Statistician	\$50,000
GIS Technician	\$40,000
Analystical software	\$50,000
Clerical Support	\$25,000

## **3.10.3. RATIONALE**

The citizens of Loudoun County are, perhaps without being aware of it, sophisticated consumers of fire and rescue services. As was established by private citizens, business leaders, and public officials

September 26, 2001	Prepared by The EMSSTAR Group, LLC Annapolis, MD	Page 34

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



during the assessment process, these citizens expect that when they dial 911, they will receive a speedy, appropriate, and professional response. In order for those responsible for service delivery to assure that this level of service, timely, accurate and complete information must be made available to planners, decision-makers, and those responsible for daily operations. Only a sophisticated, professionally run, "real time" data collection, analysis, and presentation system can provide that level and quality of information. Moreover, the limited savings (if any) of lower levels versus the "high" level make the answer to this option even more clear. Collecting and analyzing data "separately" versus doing it on a centralized basis will result in an inferior product at the same or higher cost.

## 3.10.4. IMPLEMENTATION PLAN

- □ The Chief will establish a Records Management Committee that will evaluate the data needs of the Department. The committee will be comprised of technical staff, end users, County computer staff, volunteers, career personnel, communications officers, and personnel from each section that have heavy data usage needs (fire prevention, EMS, etc.). This committee will establish the needs of an ultimate data management system. (0-3 months)
- ☐ The Chief will develop a comprehensive Request for Proposal that will meet the needs as outlined by the Records Management Committee. (3-6 months)
- □ The Department will have various demonstrations of record management systems for the Records Management Committee. (6-9 months)
- ☐ The Department will select a vendor and begin implementation of a records management system. (9-24 months)
- □ The Department will establish a data management section to manage computer functions within the Department. The size of the staff will be dependent on the speed of implementation of computers to all stations. 24-hour coverage will be critical to the success of the system. (6-9 months)
- ☐ The computer staff will develop and implement a long-term plan to obtain hardware and a Wide Area Network (WAN) for all fire and rescue facilities. (6-36 months)
- □ The Department establishes a formal training program for all Departmental personnel on general computer operation and specifically on the records management system. (12-36 months)
- □ The Department will move to integrate the records management system into the CAD and MDC program. (24-36 months)
- □ The Department will produce reports of the overall system performance based on data collected from the various stations and operations within the Department. Reports will be distributed throughout the Department. (24-36 months)
- □ The Department will create a yearly review of data and produce a report for distribution and review. (24-36 months)

## 3.11. FIRE AND EMS OPERATIONS AND TRANSPORT

This attribute addresses the primary mission of the fire and rescue Department, which is to provide fire and emergency medical services to the citizens of the County. Any department that delivers these services understands the importance of reliable and consistent levels of service. When a citizen places a call to the Emergency Communications Center, a whole series of events begins. Each of

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



these events must work cohesively and as a group in order to allow for a quick and efficient response to the scene of any emergency. Delivering this service results from the teamwork of communications officers and the responding units.

The goal of any system is to reduce the amount of time that it takes from the time the emergency is identified, until the fire and EMS units are on the scene. At that point, the level of training and the expertise of the personnel become the deciding factor for the outcome of the emergency. The key to this attribute is the balance of a well-trained, fast response system, with the budgetary requirements to fund the necessary equipment, training, and personnel.

### 3.11.1. RECOMMENDED SERVICE LEVEL-AVERAGE

There is a standard response assignment Countywide based on the type of call received. Target hazards in all areas of the County have a separate and unique response assignment based on a risk assessment for those properties. There is an established level of service based on rural response districts and urban response districts. All urban stations are staffed by physical stand-by 24 hours per day, seven days per week by a combination of volunteer and career personnel. Rural stations are staffed as dictated by the risk assessment of the response district. Strategic locations within the rural response districts have staffing on a 24 hour basis, by volunteers and career personnel, in order to guarantee that units are available to respond immediately throughout the County, without long travel distances and thus long response times.

Engine and ladders trucks are staffed with a minimum of four people. Heavy Rescue's are staffed with three people, medic units with two people and tankers with one person. All engines in 24-hour staffed stations without an assigned ambulance has an advanced life support provider on duty at all times. A response to a residential structure will result in 15 firefighters on the initial dispatch assignment. Highrisk assignments will have 20 firefighters dispatched on the initial assignment (NFPA, CFAI). Advanced life support calls will have five personnel dispatched on the initial assignment. A command officer responds to all working incidents and all high-risk occupancies 24 hours per day, seven days per week.

A minimum of one ALS personnel trained to the paramedic level is dispatched to all advanced life support calls. A minimum of two certified EMTs respond on all Basic Life Support incidents (CAAS). All fire personnel are trained to a minimum level as determined by the Department. EMS personnel are trained to the emergency medical technician level. Command officers operating on a Countywide basis are trained to a level as set forth by the Department.

In urban areas for EMS calls, basic life support will arrive within the time frames established by the standard of cover and advanced life support personnel and equipment will arrive within prescribed time frames 85% of the time on all advanced life support incidents. Basic life support incidents have a response goal established and met 85% of the time. In urban areas for fire responses, the first due engine will arrive in accordance with the standard of cover from time of dispatch, and a full response force will arrive within prescribed time frames 85% of the time. All rural districts will have an additional time frame response time goal to arrive and to assemble a full response force.

The closest staffed unit is always dispatched to the initial call for service. All personnel schedule their time in advance to assure coverage at stations that require 24-hour in-station coverage. Career personnel are assigned to stations based on response time analysis conducted quarterly.

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



### 3.11.2. FINANCIAL IMPLICATIONS

Financial implications are similar to the high level of service. The significant difference is that not all stations are staffed as required in the high level of service. Further, the response time difference will reduce the need for personnel by establishing longer response times.

All other expenses will be the same amount per person or unit.

### **3.11.3. RATIONALE**

This level is one that establishes a balance between service to the citizens, funding, and the continued use of volunteers. Obviously, the high level of service is a system that puts service delivery as the number one goal. However, the cost to reach that goal is not efficient use of existing resources, nor does EMSSTAR believe it is in the best interest of the system if the critical volunteer attribute of the systems is to be maintained.

The establishment of urban and rural service zones recognizes the differences in the response areas that each type of service zones has. It is unrealistic to think that a rural fire or EMS station can respond as rapidly as a station located in the urban areas of the County. Thus, this level gives the ability to recognize the differences and to have different levels of staffing and of response time goals for the two different areas. In the arena of staffing, this level realizes the need for immediate response to the urban areas where the majority of the population resides, and likewise, where the majority of the high-risk occupancies are located. The rural staffing plan allows for rural stations to maintain their current duty assignments, but places a safety valve into the system. Based on a good risk assessment, stations strategically located throughout the rural areas would have physical stand-by on a 24-hour basis. The purpose of this stand-by is to assure that personnel are continuously available in all parts of the County. This reduces the travel time for responding staffed units, and yet does not place undue burdens on all rural stations.

The staffing levels indicated are within normal accepted practices and allow for sufficient personnel to operate on the fireground. This response pattern allows for: an incident commander, a pump operator, two attack firefighters, two rescue firefighters, two firefighters for search, two for utility control, ventilation, and salvage and overhaul, and two firefighters in reserve for additional assignments.

A response of five people to advanced life support calls is an industry-accepted practice in fire and rescue combination systems. Two people cannot deliver adequate patient care to a critical patient while carrying equipment and transporting a critical patient down or up any stairways or incline. It is far better to have personnel on the scene and not be needed than to need the personnel and not have them available.

The response times as indicated meet the American Heart Association standards for the delivery of advanced life support care to someone that is experiencing sudden cardiac death. The goal is to intervene in patients before they reach the point of sudden cardiac death and to begin treatment that will prevent them from going into cardiac arrest. Response time for fire incidents is based on the measurement of the time the call is dispatched until the units arrive on the scene. It is critical to have a fast response time to intervene in any fire situation prior to flashover. Flashover is the point at which a fire is basically consuming everything in the room of origin. The six-minute time frame is at the upper edge of that time, and thus is the maximum that can be recommended for fire response times. In the rural areas, the times are expanded. This must take into account the possibility of greater fire damage in the rural areas. On balance, the property value is such that the majority of the responses will be in single-family residential properties, and thus a less likelihood of fire spread as a result of longer response times.

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



Deploying personnel based on response analysis is crucial to any viable fire and EMS system. Decisions should be made based on the ability of the system to provide reliable and consistent services to the citizens. This level determines the need for additional career personnel based on objective data and not based on the perceived need or total failure of the response system in a particular area. Scheduling volunteer staff allows the system to know what future staffing patterns will be. The minimal level of service does not require volunteers to schedule duty time, but rather relies on assigned duty nights. In order to assure the staffing levels as indicated it is imperative that command officers know the staffing levels that will be present for all duty shifts. Failure to require scheduled physical duty assignments will result in a lack of consistent and reliable service.

This level will allow Loudoun County to continue to utilize volunteers as an intricate part of the emergency response system, and yet assure responses to all emergencies throughout the County.

### 3.11.4. IMPLEMENTATION PLAN

- □ The Department will identify all target hazards in the County. (9-12 months)
- □ The Department will develop a standard computerized pre-incident survey instrument that will document critical information about all target hazards in the County. A goal to evaluate all public buildings in the County will be established and a plan for completion will be developed. A protocol or scoring system will be developed for all target hazards that will assist in determining the appropriate response levels based on the risk assessment and standard of cover documents. (12-18 months)
- □ The Chief and the Commission establish a staffing pattern that will assure that stations are physically staffed in all urban areas. A scheduling software program should be obtained to assist in tracking staffing levels and to identify deficiencies. (12-18 months)
- □ The Chief and the Commission will identify rural station hubs that will be identified to be staffed 24 hours per day. This will be accomplished through an analysis of the risk assessment document and based on the target hazards in the area. Essentially, the hub stations will be strategically located to allow for rapid response to multiple response districts from one location. (12-18 months)
- ☐ The Chief and the Commission will develop a formal presentation that outlines the stations selected and the rationale for those decisions. The use of the Apparatus Deployment Software should serve as the guiding force for these decisions and for justifications. (18-24 months)
- □ The Department will formally adopt minimum staffing assignments. A means to track staffed units will be put into place that will result in the dispatch of the closest station, and if the station is not physically staffed, the closest staffed station to all incidents. (12-18 months)
- □ The Chief and the Commission will develop a policy and procedure for the minimum number of personnel to be dispatched on various types of calls. The policy should be such that adequate personnel can perform the various functions required of different incident types. A matrix should be used to outline the typical assignment of personnel. (6-12 months)
- □ The Chief and the Commission will develop a process to assure that adequate paramedics are available to respond to advanced life support calls. The appropriate number of personnel will be dispatched through a combination of ambulances and fire apparatus to assure that basic and life support service can be performed as needed. (6-12 months)
- ☐ The Chief and the Commission will establish training level requirements for personnel to be considered as part of the staffing pattern. (12-18 months)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- ☐ The Chief and the Commission will establish minimum training requirements for command officers. A plan will be put into place to provide the necessary training for any personnel that do not currently meet the requirement. Consideration should be given to establishing an equivalent option for current long-term command officers. (12-18 months)
- □ The Department will evaluate response times based on an 85% compliance rate. The necessary data points will be captured by the communications center. (12-18 months)
- ☐ The Chief and the Department will establish rural response times based on data and service to the citizens. (9-12 months)
- □ The Department will establish a monthly schedule of volunteer and career personnel staffing for each station. When adequate personnel are not available, the use of overtime should be considered on a short-term basis. Should staffing not improve, then full time personnel will be added to assure a level of response. (12-18 months)
- ☐ The Chief and the Commission will develop a plan to assign career personnel to stations based on the risk assessment process and in a way to provide the most coverage possible. (9-12 months)

## 3.12. PUBLIC INFORMATION AND EDUCATION

This attribute provides for essential information to be conveyed to the public at large: the business community, schools, citizens, and even visitors. The effective public information and education (PI&E) program is a critical activity actively integrated into the functions of an emergency response agency. Through analysis of information about the public health threats and physical risks in the community, PI&E programs are selected, or developed where they do not exist, and deployed in the most effective and efficient manner possible. New technologies and techniques proven in other jurisdictions are explored and utilized when advantageous. A collaborative approach, utilizing materials, expertise, and guidance from other agencies can enhance the message and its retention by citizens, all of whom are potential consumers of emergency care and disaster response services in the jurisdiction. The focus of a PI&E program is more diverse than prevention; its messages can be targeted to special populations, such as prospective volunteers, and consumers with a high probability of using the system, with tools such as bystander care or "make the right call" information about when to use emergency numbers.

## 3.12.1. RECOMMENDED SERVICE LEVEL-HIGH

There is an established Deputy Chief level position and support staff, including two planners, two investigators, and two educators who design and tailor PI&E programs for delivery throughout the year. Target audiences and messages are selected based on intense analysis of Countywide fire, emergency medical and disaster responses, as well as probabilistic risk assessment of infrequent but potentially catastrophic events (e.g., floods). Fire and EMS personnel, including volunteers, become messengers of PI&E, and participate in public information activities. All Fire and EMS providers are trained to observe and detect hazards in residences, and provide information on community resources to the residents. Recruitment and basic Fire and EMS system information is embraced as a major theme to facilitate volunteering in the community and awareness of community members about the importance and role of the Fire and EMS system and the volunteers who serve. Unique population needs and opportunities for collaboration are identified with input from other public agencies, such as those engaged in the provision of mental health and public assistance. Materials are age-appropriate, and several programs are delivered using advanced technology and devices, such as monitors above

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



gas pumps and check out lines, and selected media interventions when appropriate. Success in delivery of information, including measures of information retention, and factors indicating positive behavior effects, such as an observed increase in the number of children wearing bicycle helmets, is also measured. Comprehensive analysis (determination of most frequent causes for fire and EMS response) is performed.

## 3.12.2. FINANCIAL IMPLICATIONS

Deputy Chief-(I FTE)	\$100,000
Professional and Administrative Support Staff (6 FTE's)	\$228,000
Operating Expenses	\$96,000

## **3.12.3. RATIONALE**

The striking success of the Department Fire Prevention program and public safety education sets a benchmark of excellent performance that can and should be applied to other unresolved and unmitigated risks present in the community. Medical emergencies and injuries place a constant demand on the EMS and rescue agencies within the County, and prudent resource management would make every attempt to reduce that demand. On a long-term basis, it would be difficult to defend the expenditure for fire prevention, despite the potential for high-dollar property loss, while the opportunity to save lives and prevent disability through emergency medical and emergency management PI&E went untended. The EMS Agenda for the Future, as well as the most current curricula used to teach EMS providers at all levels incorporates PI&E as a formal and continuous activity expected of emergency medical services systems.

## 3.12.4. IMPLEMENTATION PLAN

- □ The Chief establishes a dedicated section within the Department with the charge to plan, implement, deliver, and evaluate public information and education within the Department. (9-12 months)
- □ The Chief and the Commission will develop a comprehensive plan for the delivery of fire, EMS, and emergency services education to the citizens of the County. (12-18 months)
- □ The Department will evaluate all emergency response data and develop a target audience for the various educational programs. At a minimum, programs should be available for the major target groups and for any group that requests programs in the County. (12-18 months)
- □ The Department will establish a cadre of volunteers to deliver programs in their respective response areas. Training programs will be developed that assists public educators in dealing with children and with the elderly population. (12-18 months)
- □ The Department will evaluate the integration of national programs such as Safe Kids, Risk Watch, Learn Not To Burn, etc. Grants should be applied for to assist with the delivery of the programs. (18-24 months)
- □ The Department will develop a recruitment and Department information module that will be delivered at every public education program. Each delivery should be considered an opportunity to recruit volunteers for the system. (18-24 months)

Prepared by The EMSSTAR Group,	LLC
Annapolis, MD	

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- □ The Department will establish a steering committee that is comprised of other County and state offices that come into contact with target populations. This committee will serve to make suggestions for programs and to assist in the evaluation of existing programs. (18-24 months)
- ☐ The Department will develop a means to evaluate and track the success of the program. Verifiable data will be used to document the success of the program. (24-36 months)
- □ The Department will explore funding options with special emphasis on grants from foundations and organizations with an interest in kids and other target populations. (Ongoing)
- □ The Department will establish a partnership with the schools to deliver periodic fire and EMS programs to all students in selected grades. Goals will be established to make a contact with each student at least three to four times during their public education in Loudoun County. (24-36 months)

## 3.13. FIRE PREVENTION

This section addresses the attribute of Fire Prevention. This attribute is one of the most proactive activities undertaken by a fire and rescue department. Every fire prevented is a tragedy that the community does not have to endure. Preventing a fire avoids an economic loss to the owners, as well as reducing the potential for a tax revenue loss by the County should the structure not be rebuilt. Unfortunately, it is extremely difficult to put a value on fires or emergencies that are prevented. Many methods have been used over the years, but no one method survives scrutiny and serves as a reliable method to measure the fire prevention program.

A good fire prevention program has multiple facets. These facets all come together to reduce the potential of fire through design, inspection, and post fire investigation to determine what could have been done differently to eliminate the fire danger, or to reduce the amount of loss due to an actual fire. Fire investigations also serve to determine social problems that may occur in the County. Nationally, statistics show that juveniles are responsible for up to 50% of all arson or suspicious fires. A thorough investigation process can identify those trends and assist the County in having a proactive response to the juvenile fire-setter problem.

Successful fire prevention efforts will reap long-term benefits for all citizens of the County. Overall, fire prevention functions are critical to the successful reduction of fire injuries and deaths, the destruction of property, and the loss of economic resources.

## 3.13.1. RECOMMENDED SERVICE LEVEL-HIGH

A high level of service of fire prevention will have many long lasting impacts on the community. It will have multiple facets that must come together throughout the life of any property in the County. All inspectable occupancies are inspected a minimum of once per year. Inspections are entered and maintained on a hand held computer system. All re-inspections are completed within 60 days and non-compliant owners are cited in accordance with the fire prevention code. A system is in place in conjunction with the court system to direct all fines and penalties to the fire prevention budget for public education purposes. All non-life-threatening complaints are handled within 24 hours of receipt of complaint.

Engine company personnel perform inspections on low risk and mercantile properties in their respective response districts. All new construction is inspected by a fire inspector and the local Fire Company prior to a certificate of occupancy being issued. A computerized system is in place to

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



immediately notify inspectors and suppression personnel when a building is under construction and whenever a change of occupancy or use occurs in a structure.

A licensed fire protection engineer is employed by the Department. Working in conjunction with the building official, all fire protection plans are reviewed by the fire marshal's office to assure that fire safe buildings are under construction. Fire prevention permits are issued by the Department on-site through a hand held computer system. Revenues are generated through the issuance of permits as allowed under the fire prevention code.

All inspectors are trained to the NFPA Level 1033, with summons powers. All company officers are trained to the NFPA 1033 Level. All career and volunteer firefighters are trained in basic engine company inspections. All fire investigators are trained to the 1033 and 1031 Level, and have full police powers and are equipped as law enforcement personnel. All company officers are trained in basic fire cause determination.

A certified fire investigator investigates all suspicious fires. All investigations of suspicious fires are begun prior to the fire suppression forces leaving the scene. Resources are adequate for the follow through of all suspicious fires in the County. Support personnel are in place to enter information and to transcribe interviews within a timely fashion.

A dedicated juvenile firesetter investigator is on staff and serves as the lead investigator on all juvenile related fire incidents. All investigators are trained to recognize juvenile firesetter issues and pass the information to the assigned juvenile investigator. A comprehensive juvenile firesetter intervention program is in place. Resources are coordinated with the court system, mental health, and school systems in order to reduce the incidence of juvenile firesetting.

## 3.13.2. FINANCIAL IMPLICATIONS

The cost to meet this level of service will be dependent on establishing the workload for the inspectors. This will require several personnel in order to meet the required level of service. The following costs are based on individual personnel cost

Fire Inspector, each	\$57,000
Fire Investigator, each	\$55,000
Equipment startup cost per person	\$50,000
Fire Protection Engineer	\$80,000
Software for inspections	\$100,000
Hand held computers, each	\$10,000
Juvenile Firesetter Program	\$50,000
Support staff -2 clerical	\$80,000
Support office equipment	\$20,000
Inspector training	\$30,000
Fire Cause Determination Training	\$30,000

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



## **3.13.3. RATIONALE**

The best investment that any local government can make is to prevent an emergency from happening. The high level of service is one that can have long-term returns on the County's investment in reducing life and property loss.

This level approaches fire prevention from a total system standpoint. Inspections are integrated with full time inspectors and with trained engine company personnel. This utilizes down time that many firefighters have when waiting at the station for an emergency incident. By using firefighting personnel to conduct basic inspections, the personnel are ready to respond to emergencies, and are able to familiarize themselves with the buildings in their response area. Inspectors are then able to concentrate on inspecting buildings that typically have more complicated fire protection systems. By training company officers as full inspectors, they will have the knowledge necessary to discuss violations with the business owner in an educational approach. This approach may face initial opposition from firefighters and will take a strong administrator to be successful.

An automated inspection system will integrate with other data management systems in the Department to give inspectors up to date information on all businesses in the County. The system should have the ability to tie into other County systems and will assure that information is shared between the building official's office and the fire marshal's office.

The institution of a certified fire protection engineer in the fire marshal's office greatly enhances the ability of the Department to positively impact new construction. Commonwealth law assigns the duty of building inspections to the building official. In order for this recommendation to work, the building official must be willing to administratively assign the responsibility for fire protection systems to the fire marshals office. Ultimately, the building official is responsible for final determinations, but the authority can be granted to the fire marshal's office. This will serve to greatly enhance the flow of information about new construction in the County.

Training requirements as set forth in this service level are both achievable and recommended. The majority of firefighters gravitate to fire suppression activity. Requiring all firefighters to take a course in fire inspections will serve to start a process of future firefighters in the County to see fire prevention as much a part of the job of firefighting as combating a fire. Training company officers in fire cause determination can assist in reducing the down time for an investigator to determine the cause of an easily identifiable accidental fire.

Resources are critical to any law enforcement operation. Accurately entering reports and transcribing tapes are crucial to the successful prosecution of arson cases. This level of service would place adequate support personnel in the fire marshal's office to fulfill the staff support role.

Lastly, juvenile firesetters are a national problem. Juveniles set over 50% of suspicious fires. Many of these juveniles are simply living out a natural attraction to fire. Unfortunately, death and destruction can result from that natural attraction. The implementation of a comprehensive juvenile firesetter program can serve as a tool that local fire, police, school, and juvenile justice officials can use to reduce the incidence of repeat juvenile firesetters. Programs that have been implemented in other localities have excellent results and a low rate of recidivism.

Adoption of this level of service will create an environment that will put a premium on preventing a fire and on building fire safe buildings in the County.

## 3.13.4. IMPLEMENTATION PLAN

□ The Fire Marshal will work to integrate a records management system into the operation of the Department. This system should integrate with the building officials' office to assure the continuity of building history and alternations. (3-6 months)

September 26, 2001	Prepared by The EMSSTAR Group, LLC Annapolis, MD	Page 43
--------------------	---	---------

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- □ The Fire Marshal will develop a means to establish a database of all businesses and buildings in the County that fall under the Fire Prevention Code, or are of significance to the County, such as agriculture buildings, etc. (6-12 months)
- The Fire Marshal will develop a plan for the annual inspection of all businesses in the County. (6-12 months)
- □ The Fire Marshal will develop a re-inspection policy for all businesses. All inspections will be completed within the time frames outlined. Consideration should be given for a fee recovery system for inspections or for re-inspections. (6-12 months)
- □ The Chief will institute a formal engine company inspection program. Policies and procedures will be in place to govern the delivery of the inspection program. A formal training program will be in place for all company officers and for all firefighters. (12-24 months)
- □ The Chief and the Commission will institute a formal pre-planning program of all commercial structures within a company's first-due response area. Plans shall be updated annually or whenever structural modifications or occupancy changes occur. (12-18 months)
- □ The Chief shall institute a standardized software program available to all companies for the preplanning program. Software shall be capable of supporting graphics for building schematics. (12-18 months)
- □ The Chief and the Commission will work with the Commonwealth Attorney and the Courts to establish a restitution system, whereby, all funds collected are directed to future fire prevention efforts in the Fire Marshals' Office. (9-12 months)
- □ The Chief and the Building Official establish a process where fire inspectors and engine company personnel inspect major businesses prior to the issuance of a certificate of occupancy. This inspection will begin the documentation of the life of the building in the Department's record management system. (12-18 months)
- □ The Fire Marshal will establish a database that tracks the life of a building. Multiple searches should be cross-referenced so that the entire history of the building can be tracked without regard for the type of occupancy, or the name of the occupant. (6-12 months)
- □ The Chief and the Building Official establish a process where a fire protection engineer employed by the Department works with the Building Officials' office to assure that all fire protection systems are appropriate and adequate. (24-36 months)
- ☐ The Fire Marshal establishes a permit issuance system that utilizes hand held computers and has the capability to issue permits on site. The permit system will be a part of the records management system for the Department. (24-36 months)
- □ The Fire Marshal and the Training Officer will establish a formal training program for all fire personnel. NFPA 1033 courses will be offered for officers. The standard recruit school for volunteers and career personnel will include a heavy emphasis on fire inspections and fire prevention. (9-12 months)
- □ The Fire Marshal will develop policies and procedures for the investigation of suspicious fires. The Chief and the Commission will establish standards that all personnel adhere to in order to maintain custody at fire scenes. (3-6 months)
- ☐ The Fire Marshals' office will hire support staff to assist in managing an arson software program, and to track and manage fire investigation cases and transcripts. (3-12 months)
- ☐ The Chief will work with the Fire Marshal's office to enhance the existing juvenile firesetter program. A formal program will be in place that involves the courts, schools, social services,

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



mental health, and the community in identifying and referring juveniles to the program. (6-12 months)

- □ The Fire Marshal will develop a system to track juvenile firesetter interventions and to establish the success of the program. (12-18 months)
- ☐ The Chief will establish policies and procedures for the use of law enforcement powers by fire investigators. (6-12 months)

## 3.14. TRAINING

This attribute addresses the training function. The proper instruction of personnel in the areas of fire, rescue and EMS represents an essential cornerstone in the foundation of any highly respected public safety service Training includes the orientation and training of new fire and rescue personnel, career and volunteer, basic and advanced firefighter and fire officer training, management training, basic life and advanced life support training, and certification and specialized training. The training model envisions use of the training center(s), specialized classes, in-service training, distance learning, use of the community college system, Commonwealth and national training academies, and other arranged classes. The training system envisions the adoption and implementation of basic certification requirements for career and volunteer fire/rescue personnel, and the implementation of a professional development plan for both career and volunteer personnel. Because of the size of the combined agency, most basic skills and management classes can be offered in-house. Because of the proximity of the National Fire Academy, we recommend that much of the advanced training needed in the Loudoun County Fire and Rescue Department be obtained through that facility.

### 3.14.1. RECOMMENDED SERVICE LEVEL-HIGH

Career development and training are organized as a separate division answering to the Loudoun County Fire and Rescue Chief. A senior chief officer reporting directly to the Chief heads the division. The chief of training is responsible for the design, development and delivery of training and career development for volunteer and career Department personnel. Responsibility for implementation and evaluation of personnel already certified as firefighters and assigned to stations/shifts (career and volunteer) continues to be the supervisors and chief officers to whose companies and battalions they are assigned. The Training Chief and staff will develop training protocols, policies, schedules, procedures, and evaluation processes for use by company officers and multi-company supervisors for both the volunteer and career service personnel. The training staff will provide support material and training aids to the in-service training program and will assist company and battalion officers in the delivery of training where resources and staffing permit.

The training staff will develop and implement a career/professional development plan that provides career development and mapping for both volunteer and career personnel. The career/professional development program will have at least two categories. One category will provide opportunities for personnel to gain competence at their current level of service and to prepare for their future advancement to the next positions in the organization in the areas of fire EMS and emergency management. The second category of training is a maintenance level that allows persons that do not desire advancement to maintain the basic skills necessary for continuing competence as firefighters and EMS personnel. These may include re-certifications, psychomotor skills exercises and company and individual drills, in the area of fire and EMS.

The professional development programs shall be formatted for the delivery to career and volunteer members to ensure intra-operability and intra-changeability of volunteer and career Department staff members of equal rank. At a minimum, the operations career/professional development plan should include training for firefighters (multiple levels based on differing levels of firefighter competence, not

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



differences in career and volunteer firefighter training.) All training is based on the concept that career and volunteer training includes the same materials, competencies, and evaluations, (albeit modified in presentation schedules due to differing training schedules for both groups), driver-engineer, company officer, multiple company supervisor, instructor, inspector, educator, and specialist-technician training.

Beyond entry-level requirements and classes done for special certification, each career firefighter and EMS professional should receive approximately 20 hours of in-service training per month. In addition each volunteer should strive to match that amount of time, but in no case have less than 10 hours of training per month. The County should consider alternative ways to deliver courses off-site and to the volunteers spread throughout the County. Use of cable, Internet, and other creative delivery techniques should be explored. This would be particularly useful for volunteer training, as it would allow much of the instruction to be done at times convenient to the volunteer members This would reserve training meetings to those activities requiring actual use of equipment and people or those activities that require multiple people to perform.

The Training Division should be staffed by a manager/training chief and training coordinators that focus on scheduling <u>all</u> regular, in-service, recurring, re-certifications, and any other developmental training, and training officers who are responsible for training delivery, monitoring and evaluating company training, providing support for training activities, and maintaining Department training facilities and equipment. The training coordinators will need to be full-time staff members. The training officers should be a mix of volunteer and career personnel and should be used interchangeably as much as possible based on training requirements and time available. In the high service level volunteer training officers should be remunerated at an hourly rate for hours worked above regular volunteer duties or provided a stipend to recognize the higher level of additional commitment this work will require.

A full service EMS training section should be incorporated under the training chief. This section should have a person that is certified beyond the level of a field advanced life support provider that serves as the advanced life support coordinator. Staffing should be in place to allow for training at all EMS certification levels in accordance with Commonwealth Laws the Virginia Division of Emergency Medical Services requirements. Training should also be in place to meet national standards for advanced life support to include: Advanced Cardiac Life Support, Pediatric Advance Life Support, Basic Trauma Life Support, and other similar training programs. Training will be available at basic and advanced levels during day and night hours to allow for more personnel to be trained as emergency medical services providers. There is an established and formal relationship with a university based emergency medicine program that offers a Bachelor degree in Emergency Medicine, Emergency Medical Services or related area.

Continuing education will be available at the training academy and all County personnel will be able to maintain their medical skills and continuing education at no cost to the provider.

## 3.14.2. FINANCIAL IMPLICATIONS:

In the training model we do not include the indirect costs of training. Thus none of the salaries of those being trained, either career or volunteers who may be giving up potential income during the training periods, are included.

Assignment of a training director/manager/chief at the pay range of the level of chief officer immediately beneath the Department Chief, two or three training coordinators at the senior captain or battalion chief level and five or six training officers at the company officer level. At least half the training officers and one of the training coordinators should be volunteers and costs would be a stipend based on an hourly rate for their position equivalent in the career service. Based on the observations made about the disparity in training and skills there is a significant need for an

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



investment in training hours over the next several years. It is estimated that a training staff of 8-10 FTE's (6 Training Officers, 3 Training Coordinators, Training Chief) will be required. They will implement, monitor, evaluate, and record the professional development training envisioned for the Department in the area of fire service training. Emergency medical services training personnel will be required to teach basic and advanced life support classes. A minimum EMS training staff of 5 to 6 FTE's will be required to fulfill this role. Each of the training staff will likely have responsibilities for delivery of services in the field therefore will require a vehicle and support, office space and support, and training materials. Estimated costs about \$1.2 million per year. This cost can be somewhat offset by utilizing the training officers as sector commanders and safety officers on multiple company calls. This will also allow them to evaluate training levels at actual emergency scenes.

## **3.14.3. RATIONALE**

Integration of services will have its costs. Implementation and growing a changing culture can best be done by starting at initial entry and ensuring that competent training is conducted and all personnel are imbued with a sense that an integrated system is workable and is the best option for the County given its history and other conditions. Quality services are built upon preparation, and preparation for efficient delivery of fire/EMS services is predicated upon technical skills, confidence, and competent leadership. All of these are founded by training.

A well-founded fire and EMS training program will have long reaching impacts. When personnel are recruited as volunteers, it is imperative that they be able to enter a quality training program. Should programs not be available, volunteers will typically leave the service. This places a strain on the system and requires that additional effort be placed into recruiting more volunteers. Essentially, this becomes a vicious cycle with no gain in trained emergency responders. Likewise, when career personnel are added to the complement, it is imperative to have a recruit school available prior to assigning personnel to stations. The recommended level of service will give adequate staff to effectively train all new volunteer and career personnel in a timely manner. Once personnel are trained, it is critical that they remain proficient in a wide variety of motor and attentive skills. This model will allow for an aggressive continuing education program that will assure that personnel have the latest training in a wide variety of subjects that are relevant to providing quality emergency services.

The last critical part of this level of service is the EMS training function. Given that almost 80% of the workload is medical responses, EMS training is critical to the ongoing success of the system. This level will allow the Department to control the basic and advance life support training programs that Department personnel receive. By conducting all training in-house, the Department will be able to have a comprehensive record of the training for the majority of the providers. Secondly, the Department will be able to control the quality of the instruction and assure that personnel have the level of proficiency that is required in Loudoun County. The continuing medical education component will reduce the stress on providers and give them a guaranteed method to receive their required training hours without traveling to other localities. Medical direction will be involved in the clinical component of all training programs. This level of service dictates that a highly qualified person manages the advanced life support training function. This will provide a measure of quality assurance and give the position additional credibility when dealing with the local medical community.

The Agenda for the Future guides the process for various aspects of pre-hospital care. In the section on Educational Systems an important aspect of education states, "Higher level EMS education programs are affiliated with academic institutions." In order to accomplish this task, providers of EMS education should seek to establish relationships with academic institutions (e.g., colleges, universities, and academic centers.) In addition, it points out that accreditation will assist in making the program stronger.

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



## 3.14.4. IMPLEMENTATION PLAN

- ☐ The Chief will establish a training chief position in the Department that answers to the Chief (3-6 months)
- □ The Chief and the Training Chief will conduct a needs assessment to determine the staffing levels needed to adequately support, volunteer and career training needs. Special attention will be given to assure equivalent levels of training and a wide assortment of training hours available to all personnel in the County. (6-9 months)
- ☐ The Training Chief will establish a verifiable and meaningful in-station-training program for volunteer and career personnel. (6-9 months)
- □ The Chief will designate appropriate budget funds for training aids and programs for in-service training. (9-12 months)
- □ The Chief and the Commission will coordinate the development of a career development program for volunteers and career personnel. The Chief will work with the Human Resources Division to assign pay grades that are appropriate for personnel that obtain higher levels of education and training. A volunteer incentive program will be instituted that recognizes volunteer personnel that meet career development goals. (12-18 months)
- □ The Training Chief will develop and implement an officer candidate program that meets national and state standards. (12-18 months)
- ☐ The Training Chief will develop on-going officer and leadership programs for all first line and chief officers in the Department. (12-18 months)
- □ The Chief and the Commission will develop minimum training standards for all new personnel and officers, and will establish continuing education requirements for all personnel based on their level in the organization. (18-24 months)
- □ The Training Chief will establish on-going multi-company operation training for daytime and nighttime responders. (18-24 months)
- ☐ The Chief will establish policies and procedures for the interchange of volunteer and career personnel. This exchange must be based on meeting minimum qualifications. (24-36 months)
- □ The Training Division will establish a five-year training plan that outlines the proposed training that will be delivered and the quarter it is to be delivered in. The document will be updated annually and will serve as a road map for new personnel, and those that have established training goals. (12-18 months)
- □ The Training Chief will establish a method to document training hours for each Departmental member. Minimum monthly standards will be established to assure ongoing competency in identified areas. (18-24 months)
- ☐ The Chief will coordinate the implementation of cable and Internet training programs for all personnel. (24-36 months)
- □ The Training Chief will establish a competency based evaluation system to use for new personnel that have prior training. This evaluation should allow for personnel to be placed into station assignments if they possess the necessary skills to perform as a Loudoun County emergency responder. (18-24 months)
- ☐ The Training Center will be designated as the official training site for all Loudoun County fire and EMS personnel. (6-9 months)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- The Chief will establish part time instructor positions that will be compensated for teaching County courses. Emphasis will be placed on hiring County personnel with expertise in various areas. (12-18 months)
- □ The Training Chief will assign a staff person to coordinate all training activities at the training center. Rules and regulations for use of the center will be developed and enforced for all attendees at the fire and EMS training center. (12-18 months)
- ☐ The Chief will establish an EMS training section in the training division. This section will be staffed with someone at a level above a field paramedic. (12-18 months)
- □ The Training Chief will establish an adjunct instructor program for medical professionals to teach medical related subjects in the County. A full range of basic life support, advanced life support, and specialized emergency management will be available at the training center. (12-24 months)
- □ The Training Chief will establish a training program that allows all personnel to meet their EMS continuing education requirements. (18 24 months)
- □ The Chief and the Commission will oversee the training program and assure that adequate courses are available for all members of the Department. (Ongoing)
- □ The Training Chief will coordinate seminars and symposiums on weekends that are aimed at volunteer issues and management. (12-18 months)

## 3.15. WATER SUPPLY

This attribute addresses the delivery of fire suppression water supplies throughout Loudoun County. It considers the variety of water sources currently available, those under planning and development, and demands that are likely for the next decades. In general terms, fire suppression water supplies come in three classes. These are pressurized and static water sources and shuttled water supplies.

Generally, fire hydrants are the most common source for pressurized water. Hydrants are connected to water mains that in turn are connected to huge pumps or elevated storage tanks that provide adequate head pressures to move water from its stored point or source, through the maze of piping, to the hydrant outlet into the pumper through a variety of fire hoses, out of the pump into the attack fire hoses, through a nozzle or other discharge device, and onto the fire. In most cases this is the most desired type of water source for firefighting because it is quickly connected to, requires no priming, is easily used, and tends to be extremely reliable when properly maintained. The downside to hydrant systems is that the supply piping is often undersized in an attempt by a builder to achieve "false" economy. Another downside is that these systems require maintenance and they are costly to build and operate.

Static systems on the other hand allow a pumper apparatus to get close to the water source (or attached dry-piping), connect suction hoses, draft water from a source, and pump that water to the discharge nozzle or other pumper where it is needed. Drafting requires better-maintained pumps, better-trained operators, and access to static water sources that are available in all types of weather and drought/flood conditions. Drafting causes the pump and engine to work harder to provide water flows equal to that from hydrants.

Water shuttles provide another method of delivery of firefighting water supplies to the fire scene. Well done, shuttle operations are analogous to a complex orchestral piece, with each player performing a small part in exact time. Water carrying apparatus shuttle water from one of the two sources described above to a collecting point where they discharge water into another truck or a catch basin that the attack pumper is drafting out of. Essentially, the shuttle pumpers/tankers are providing

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



enough water to allow the attack pumper to fight the fire from its own water tank and a folding tank that supplements the initial water supply and provides an easy drop off point for the shuttling units. Done well, the initial attack is done from the attack pumper's water tank as the driver sets up a folding tank for supplemental water. Before he exhausts his water supply a second pumper/tanker has filled the folding tank with its water and is en route to refill and shuttle additional tank loads as needed. The number of shuttle pumper/tankers depends on the size, required fire flows, and duration of the call; the water carry capacity of the pumper/tankers; the distance to the water source from the fire; road and turn-around capacity; the skill of the water supply officer in orchestrating the operation; and the training of the personnel involved. Usually when shuttling from a draft source, it requires four pumper/tankers to maintain a modest water flow. That allows one to stay at draft, one to attack the fire, and two shuttling back and forth with water from the draft pumper/tanker to the attack pumper/tanker. If the water source is a hydrant, then the minimum number is three.

The Department uses all three of these systems to successfully deliver fire protection services throughout the County. All of the stations use tank water for initial attack and where available (primarily in the eastern end of the County) choose to utilize fire hydrants. In the balance of the County, except for the incorporated areas that have a water system with hydrants, the fire units depend on a mixture of drafting and shuttle operations. Most fires are controlled with the initial attack resources and extensive shuttle operations are not usually necessary. However, with development of the rural and western areas of Loudoun County, it is likely that ultimately larger fires will require more reliance on the draft/shuttle system.

The charter of the water authority proscribes planning outside their service area. Without expanding their authority it is unlikely that water services will be extended further than areas presently covered in the plan, therefore improvement of the fire services water supply throughout the rural and western districts is not anticipated, though proposed in "high" service level recommendations.

## 3.15.1. RECOMMENDED SERVICE LEVEL-AVERAGE

This option envisions continued primary reliance on a mixture of hydrants, drafting sites and tank water for fire operations. It emphasizes the continuance of the draft site inventory and development project currently underway by the County.

Loudoun County should plan and extend water services for firefighting throughout the County, except in those areas where adequate services are provided by other chartered authorities. Hydrants should be located to ensure they are spaced to allow reasonable laying distances, not to exceed 500', with hydrants spaced no more than 1000' apart in residential areas. Commercial hydrant spacing should be designed to ensure hose laying distances not to exceed 350' with hydrants spaced no more than 700' apart. Hydrants should provide adequate flow to meet acceptable flow requirements (Underwriters, lowa State, NFPA) and should otherwise provide adequate reliability and service (AWWA, ISO).

Loudoun County Water Authority in conjunction with the Department should establish minimum Fire Flow requirements for development within the community. Minimum system flow requirements should be based on occupancy type (residential vs. commercial vs. industrial). Minimum system design should be capable of delivering 1000 gpm with a residual pressure of 20 psi as a basis for residential fire protection. System design should take into consideration fire flow requirements in addition to maximum daily demand (AWWA).

Fire Companies will provide flow testing and maintain the hydrants within their primary fire district. The flow data should be provided to the Department water supply officer. The data will be placed on the Department's data base for fire hydrants/water supply and that information will be provided all fire companies and units and will be incorporated into pre-incident plans.

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



The County will establish the position of Water Supply Officer. This may be a primary or additional duty with a career or volunteer officer. The WSO should have operational authority and rank necessary to ensure compliance with planning requirements and rank appropriate to direct water use and application at major alarms. The WSO shall have the authority and charge to liaison with other fire and water supply agencies and should be the conduit for water issues between the Water Authority, other water agencies and corporate water systems, and the Department. The WSO shall train assistants that will act in his/her stead when the WSO is unavailable for a major incident. Like the WSO, the assistants shall have the authority and rank necessary to ensure plans and maintenance are performed, records are accurate and properly reported and shared, and water is utilized to maximum advantage at major incidents. Assistants may be career or volunteer personnel and may be noncombat or operations staff members. The criteria for these positions is ability to manage the water planning programs and the ability to orchestrate sophisticated water supply operations and an excellent understanding of the principles of hydraulics. Ideally at least one assistant will be available for response in each district.

The WSO shall ensure that the emergency communications system operators are informed regarding all water system data so that they may retransmit water supply data to fire units in the field.

The County currently has underway a major project identifying and maintaining or improving drafting sites. There is also a plan underway to add to existing sites so that there are year round accessible drafting sites within reasonable distances of all structures. Each fire company should be required to test and maintain each drafting site in its district. Just like with hydrants, the data needs to be shared with all fire companies in the County and provided to the dispatch center so that communicators can radio information to units in the field. The sharing of this data and auditing company maintenance of drafting sites shall be the duty of the WSO and staff.

The WSO shall serve as the coordinator for establishing SOPs regarding water supply, water delivery, capacities, drafting, shuttle operations, all equipment regarding water pumping and delivery, and fittings. All agencies will reach agreement on standardized fittings, policies, and procedures.

County fire units should universally utilize large diameter hose to ensure the most efficient use of water resources. Also, the Department should test and consider adopting standardized additives to maximize water effectiveness as well as incorporate foam (or other supplements) or CAF systems into current and future fire pumpers/ tankers.

There is a need for a detailed response plan, particularly in non-hydrant areas to ensure that adequate and appropriate units respond to allow maintenance of shuttle water flows based on pre-determined fire flow requirements at each target hazard. In non-hydrant areas a minimum of four pumper/tankers are necessary to ensure modest fire flows with a three mile shuttle (1.5 miles fire to draft point). If the required fire flows are planned above 250 gpm additional units may be required. In any case, all companies, even those from hydranted areas, are mandated to maintain proficiency in shuttle and drafting operations.

## 3.15.2. FINANCIAL IMPLICATIONS

The additional costs are regarding the WSO (\$80,000 wages, benefits, and support-may be assigned as an additional duty) and the standardization of water equipment and the addition of foam and large diameter hose where required. This should be done through attrition and incorporated into the capital equipment plan and will have little fiscal impact. This proposed course of action builds upon current programs and plans. It maximizes activities and a procedure already utilized and simply represents a cost-effective yet incremental improvement with better coordination. The use of the WSO and assistants is yet another opportunity to bridge gaps between career and volunteer members and is an excellent opportunity to utilize competent and qualified members who cannot function in operations positions.

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



### **3.15.3. RATIONALE**

Water supplies are an integral aspect of community development. The average service level recommended recognizes that future water system design improvements are not only based on potable consumption demands but required flows as an essential component of water system delivery capabilities. These baseline parameters are applied to system expansion efforts undertaken by developers and are utilized in site plan reviews and project approvals. Rather than a singular focus for water system design, the institution of minimum design criteria utilizing required fire flows for different types of development recognizes the plural role of the water system both in terms of potable water and adequacy for firefighting requirements.

Community development is the principal driver in water system expansion. As the community grows and the water system expands, reliance on traditional methods of water supply for firefighting will diminish. Appropriate system design criteria taking into consideration firefighting needs will reduce reliance on draft sources as well tanker shuttle operations. As a result, infrastructure requirements with respect to the types of firefighting vehicles needed by the Department will change, reducing the need for alternate water supply delivery vehicles. This reduction will yield standardization in fleet design and utilization creating both cost efficiencies and improvement in firefighting capabilities.

## 3.15.4. IMPLEMENTATION PLAN

- □ The Chief will create and staff a position of Water Supply Officer (WSO). This position will be charged with the coordination of fire service water requirements with the Loudoun County Sanitation Authority. (9-12 months)
- □ The WSO will establish a work plan to address the water supply needs of the County. Plans will be in place for hydranted and non-hydranted areas. (12-18 months)
- ☐ The Chief will work with the WSO and the LCSA to review hydrant spacing and current hydrant plans. Recommendations will be made to enhance the ability of the Department to combat fires. (18-24 months)
- □ The Chief will work with the Fire Marshal, WSO and LCSA to establish standard fire flow requirements for new development. (18-24 months)
- □ The Chief and Commission will establish a hydrant testing and maintenance program for all hydrants in the County. This program will involve volunteers and career members in assuring that all hydrants are tested yearly. (6 –9 months)
- □ The Chief will work with the WSO and LCSA to ensure that hydrant location data is mapped utilizing the GIS. (12-24 months)
- □ The Chief will establish a means to capture hydrant flow data and to be able to communicate those flows to responding apparatus if needed. The flows will be reflected in pre-incident survey documents and distributed to first due companies and all command vehicles. (9-12 months)
- □ The Chief will establish response protocols for the WSO. A water supply officer position will be designated on all working incidents and staffed. (6-9 months)
- □ The WSO will work with volunteer companies and County residents to coordinate the installation of dry hydrants at appropriate locations. (Ongoing)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- ☐ The WSO will develop and manage a periodic testing system for all dry hydrants in the County. (9-12 months)
- □ The WSO will monitor all water system enhancements and certify fire hydrant flows for new fire hydrants. A system will be in place to communicate the location of new hydrants, and to inform companies of hydrants out of service. (12-18 months)
- □ The WSO will develop policies and procedures for approval by the Chief for water supply activities. (12-18 months)
- ☐ The Chief will coordinate the development of a plan to implement large diameter hose on all fire apparatus. (9-12 months)
- □ The Chief will assign a committee to evaluate the use of Compressed Air Foam Systems for future apparatus. A full report will be made and a decision will be made as to the effectiveness of this approach for Loudoun County. (12-18 months)
- □ The Chief will establish a dispatch protocol that dispatches sufficient fire equipment to sustain the required fire flow for all high-risk occupancies based on the Departments risk assessment. (18-24 months)
- □ The Training Chief will provide ongoing training for all companies on rural water supply and tanker shuttle operations. (Ongoing)
- □ The Chief and the Commission will conduct periodic assessments of the levels of fire protection as it relates to ISO ratings. Should the rating appear to be positively impacted by County and Departmental changes, a special ISO inspection should be requested. This may assist in reducing fire insurance premiums in selected areas of the County. (12-24 months)

## 3.16. EMERGENCY MANAGEMENT

This attribute addresses the function of Emergency Management in Loudoun County. Emergency Management has evolved during the last forty years from a singular mission (community preparation for radiological threat) to one that encompasses all aspects of emergency risk and disaster preparedness. Loudoun County's emergency management program is charged under Title 44 of the Virginia Code with the following responsibilities; preparedness, response, recovery and mitigation. Each of these elements requires the discharge of specific duties and functions. A cohesive emergency management program minimizes the potential impact of disasters including the loss of life and property.

## 3.16.1. RECOMMENDED SERVICE LEVEL-HIGH

The Loudoun County Board of Supervisors appoints an Emergency Management Director/Coordinator whose primary responsibility is the coordination of the emergency management functions. Adequate staff is provided to assist the Director in the discharge of emergency management responsibilities. In addition to the Director, staff support includes clerical and operational personnel.

A functional, adequate and dedicated Emergency Operation Center exists to support the coordination of emergency service and governmental functions during a declared local emergency and provides an environment conducive to conduct these activities. The center is capable of operating independently in

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



the event of utility failures. Communication and information capabilities exist to support center and emergency operations.

The Emergency Management Agency functions under the Integrated Emergency Management System. The EMA program is functionally tested on an annual basis utilizing an established emergency operations plan that delineates functional responsibility for all the departments and agencies under the auspices of the Loudoun County Board of Supervisors during a disaster. Specific disaster response plans have been developed for the community to address emergency events to which the community is highly susceptible. These plans cover natural disasters including floods and flash flooding, tornadoes, hurricanes and winter weather hazards. Technological emergencies such as hazardous material incidents, commercial passenger aircraft accidents, major utility failures/outages and terrorism incidents should also be appropriately planned for.

The EMA program maintains a comprehensive database of critical facilities and is capable of providing emergency responders with current and valid facility risk information including Title II and III compliance reports. Material Safety Data Sheets are routinely distributed to properly inform emergency responders of potential chemical risks within their first due response district. Essential resources are catalogued and a list of these resources is available to emergency responders. All 112R- Facilities are catalogued and Risk Management Plans for worst-case scenarios have been approved. In conjunction with the Loudoun County Board of Education and the Sheriff's Department, a School Crisis Management Plan has been established.

The EMA Program has an established Local Emergency Planning Committee with appropriate representation from critical groups including public safety agencies, education, medical, media, government and community representatives to assist the agency in program planning, community education, mitigation, response and recovery.

A functional warning system is in place to alert the population to high-risk events.

A system of sheltering displaced citizens is in effect including facilities capable of supporting displaced community members. This system should be comprehensive in nature and include essential support services such as feeding, medical care and communication.

A plan has been developed that insures the continuity of government and its functions. Inclusive within the plan is the decision-making hierarchy and authority. Appropriate local ordinances are in place to control disaster related cleanup and contractor services, institution of pricing controls and other emergency measures.

## 3.16.2. FINANCIAL IMPLICATIONS

EMA Director/Coordinator	\$80,000
Operations Position	\$62,000
Clerical Position	\$38,000
Emergency Operations Center	\$1,000,000

## **3.16.3. RATIONALE**

Loudoun County's location within the Metropolitan Washington, D.C. Metropolitan Statistical Area situates it in one of the twentieth largest metropolitan areas in the United States. Its proximity to Dulles International Airport and the presence of major transportation arteries through the community

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



places the community in a position of vulnerability to man-made disasters including hazardous materials incidents, downed commercial aircraft, terrorism and other large scale incidents that can seriously impact the health and welfare of constituents. In addition, Loudoun County has withstood its share of severe weather related events including tornadoes, hurricanes and severe winter weather. During the last fifty years, Virginia has averaged 7 tornadoes per year including an F2 tornado that struck the southeast portion of Loudoun County in 1996. Since 1992, there have been 14 Presidential Disaster Declarations issued throughout the Commonwealth of Virginia for a variety of weather related events. Loudoun County has not been isolated from these declarations.

A comprehensive emergency management program is essential to local governments efforts to prepare for, respond to and recover from a variety of disasters that have the ability to significantly impact the community. State and Federal assistance including the ability to recover costs associated with disaster response and recovery can only be obtained through a formal and functional local EMA program. With the continued growth and expected influx over the next twenty years of residents and businesses, Loudoun County must be adequately prepared to respond to any disaster in a comprehensive and coordinated manner.

## 3.16.4. IMPLEMENTATION PLAN

- ☐ The County will review the existing emergency management structure to assure that it is adequate to meet the changing needs of the County. (3-6 months)
- □ The Emergency Manager will make recommendations to the appropriate officials as to staffing levels and support needed for the office. (6-9 months)
- □ The Emergency Manager will assure that all plans are current and that revisions are made no less than once per year. (6-9 months)
- □ The Emergency Manager will assess the existing Emergency Operations Center (EOC) for adequacy. A full report shall be made to the appropriate County official should changes need to be made. Clear lines of responsibility and authority will be established for operating the EOC. (9-12 months)
- ☐ The Emergency Manager will plan, conduct and evaluate yearly assessments of the County's ability to respond to natural and man made disasters. (Yearly)
- □ The Emergency Manager will assure that a Countywide functional plan exists for the response to acts of terrorism and weapons of mass destruction. (Immediately)
- □ The Emergency Manger will maintain the County's database of fixed facilities reports for Tier II and III compliance reports. The database will be such that it can be easily accessed from field units and provide information to responders as needed. (18-24 months)
- ☐ The Emergency Manger will maintain plans for the County's facilities that are required to have worst-case scenarios, and will assure that the plans are functional. (12-18 months)
- □ The Emergency Manager will ensure that all emergency responders have access to Material Safety Data Sheets for hazardous materials within their first-due response area. (6-12 months)
- □ The Emergency Manager will work with the Loudoun County School System and the Loudoun County Sheriff's Department to annually test the school crisis management plan. (Ongoing)
- □ The Emergency Manager will ensure that the Local Emergency Planning Committee is reflective of the community and constituency groups. (12–18 months)

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



- □ The Emergency Manager will work with the Local Emergency Planning Committee to make the committee a working team that performs meaningful review and produces work products. (12-24 months)
- □ The Emergency Manager will complete a survey of approved County emergency shelters. Plans will be in place for staffing, security, food service, and long-term operations. A training program for all emergency shelter workers will be conducted periodically to assure worker competence. (12-18 months)
- □ The Emergency Manager will ensure that agreements and or contracts are in effect with external relief agencies specifically the American Red Cross. (6-12 months)
- □ The Emergency Manager will establish a formal program for public notification in the event of a disaster situation. The program shall at minimum include an educational element as well as immediate means of communicating emergency messages to the public at large. (18-24 months)
- □ The Emergency Manager will maintain a current list of available resources with emergency contact information. (9-12 months)

### 3.16.4.1. SPECIALIZED SERVICES

Specialized services further address the attribute of emergency management. Periodically, emergencies occur that are beyond the capabilities of the basic firefighter or emergency medical technician. Even thought these incidents are very low frequency, they have an exceptionally high risk for the victim and the rescuers. Further complicating these incidents is that mitigation of the emergency requires extensive specialized training and expensive equipment. Given the low frequency of these incidents, it is not cost effective to have the necessary equipment or staff to handle every type of emergency that may strike Loudoun County. This section specifically addresses the areas of: Mass Casualty Incidents, Hazardous Materials Incidents, Search and Rescue, and Terrorism/Weapons of Mass Destruction.

### 3.16.4.1.1. RECOMMENDED SERVICE LEVEL-AVERAGE

This level of service would rely upon assistance from mutual aid localities for these services. All personnel are trained to the first responder level. A select team from each area of the County are trained in defensive techniques or to a level to be able to begin a response while waiting on mutual aid. Yearly drills are held with mutual aid localities to refresh members' skills in the various technical areas.

#### 3.16.4.1.2. FINANCIAL IMPLICATIONS

The financial impact for this level will be centered on providing training for all personnel. Estimated cost for training is approximately \$200,000 for 1000 fire and EMS providers to be trained to the first response level for four different disciplines.

### 3.16.4.1.3. RATIONALE

The average level of service provides all emergency responders with basic information about specialized emergencies. Immediate action can be taken to recognize special rescue situations and appropriate defensive tactics can be applied. Agreements with local teams allow Loudoun County to

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



utilize the expertise of other localities that have chosen to train and equip specialized response teams. In this level, the service is provided in the most effective and economical method.

### 3.16.4.1.4. IMPLEMENTATION PLAN

- ☐ The Chief will establish written mutual aid agreements that address specialized rescue situations. Attention will be paid to reimbursement of costs for response activities. (6-12 months)
- ☐ The Chief and the Commission will establish minimum training requirements for all County personnel in specialized rescue disciplines. (9-12 months)
- ☐ The Training Chief will incorporate first responder level training for specialized rescue situations that have been deemed probable during the risk assessment process. (12-18 months)
- □ The Training Chief will coordinate yearly practical drills and scenarios for each company that utilizes specialized rescue skills. This should be completed as a multi-company drill whenever possible. (12-18 months)
- □ The Chief will evaluate all new County facilities to determine if specialized rescue services will be needed. Discussion will be held with new developers to assure that adequate plans are in place to address specialized needs. (Ongoing)

The Chief will develop a plan to train instructors in specialized rescue areas and will work with surrounding departments to develop a mentoring/ride-along program to give instructor-level personnel experience in handling specialized rescue situations.

### 3.16.4.2. EXTERNAL AGENCY RELATIONSHIPS

This attribute addresses the relationships between the Department and external agencies that have programs and or services that may be of value to Loudoun County. These services may range from regularly occurring emergency response assistance to predefined contractual relationships for specialized services and expertise not readily available or whose utilization occurs on an infrequent basis.

### 3.16.4.2.1. RECOMMENDED SERVICE LEVEL- HIGH

The Department participates in a reciprocal relationship with neighboring jurisdictions and their emergency services programs through the use of automatic aid agreements. These agreements stipulate the simultaneous dispatch of personnel and apparatus to border areas where external jurisdiction response can reach specific targeted areas in the community quicker than intrajurisdictional units. The agreements should provide sufficient detail regarding emergency scene operations including command and control, fiscal relationships and liability coverage issues. Joint training with participating entities should be defined and exercised routinely.

Mutual Aid Agreements are in force between Loudoun County and adjacent emergency service providers. Unlike Automatic Aid agreements, mutual aid agreements stipulate emergency response assistance to Loudoun County when internal resources have been exhausted. These agreements

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



provide sufficient detail regarding emergency scene operations including command and control, fiscal relationships and liability coverage issues.

The Department has developed predefined relationships and agreements with external agencies for specific isolated emergency service demands. These situations may require the activation for specialized rescue teams or units and can include events such as confined-space rescue, high angle rescue, hazardous material incidents, urban search and rescue, mass casualty and trench rescue, dive rescue and recovery. Other assistance may include specialized arson investigative services such as those that can be obtained through Federal ATF Task Forces.

All external agreements should provide sufficient detail regarding emergency scene operations including command and control, fiscal relationships and liability coverage issues.

### 3.16.4.2.2. FINANCIAL IMPLICATIONS

The actual implementation of mutual response agreements have little direct expenses. The premise of this system is that both localities benefit through the mutual exchange of personnel and equipment. This is predicated on the fact that the number of responses into the other jurisdiction will be equal over a period of time. In fact, the designation of response areas in some instances are reflective of an even workload between the two jurisdictions. The primary direct cost of this level is the provision of a seamless dispatch system and radio communications equipment. All vehicles that respond on emergencies should have portable radios capable of talking to the other jurisdiction. If radios are not currently able to operate on the surrounding localities channels, this cost will equate to approximately \$2,500 per radio, this will equate to approximately \$250,000 for 25 vehicles that will respond on a regular basis into surrounding localities. Obviously, the cost will increase should the County elect to equip more vehicles with radios.

Additional direct cost arises in providing training to all personnel to assure compatible command and response systems. This cost is estimated at \$25,000.

### 3.16.4.2.3. RATIONALE

Utilization of external resources in a reciprocal relationship is a cost effective method for achieving emergency response objectives without expending scarce fiscal resources for additional infrastructure and personnel in fringe areas of the community. In light of program recommendations (seamless Countywide system) the Department is isolated from shifting jurisdictional boundaries as a result of annexation. This allows the agency to effectively plan for facility locations without the potential for facility obsolescence as a result of geopolitical changes. Having this capability provides the Department with the opportunity to have reciprocal emergency response relationships with neighboring departments.

Likewise, the Department's need for specialized services will increase with community growth. However, until such time as demand dictates an advanced service level capability, the Department should rely on existing external resources to provide it with these services

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



### 3.16.4.2.4. IMPLEMENTATION PLAN

- □ The Chief and the Commission will meet with neighboring localities to explore automatic aid response plans. Each cooperating locality must have the commitment to follow through with agreements as ratified by the governing bodies, if needed. (24 –36 months)
- ☐ The Chief will establish the response areas for automatic aid responses. (24-36 months)
- □ The Chief will work with other jurisdictions to establish policies and procedures for response, command and control, reporting, financial responsibilities, liabilities, and follow-up for all incidents in the identified area. (24-36 months)
- □ The Chief will develop and implement dispatch protocols for the transfer of emergency incident information to responding localities. The CAD system will be updated to reflect other jurisdictions response areas in Loudoun County. (24-36 months)
- □ All participating localities will appoint operational personnel to serve on a team to review policies and procedures and to make changes necessary to operate on emergency scenes without operational conflicts. (24-36 months)
- □ The Training Chiefs will set up periodic multi-company, multi-jurisdictional training sessions for all participating departments. Evaluations will be completed and discussed by the operational review team as a means to improve multi-jurisdiction responses. (24-36 months)
- □ The County will review all automatic and mutual aid agreements at least yearly to assure validity and that the agreement meets the needs of the County and the participating departments. (Yearly)

## 3.17. INTEGRATION

The integration of EMS within the health care delivery system is a relatively progressive concept. Traditionally, EMS systems have been about the business of responding once an emergency, illness or injury, has occurred. The system isn't activated until after the damage has been done. Furthermore, the system's interest in the emergency condition lasts only long enough to transport the affected people to a hospital or to determine that no ambulance transport is necessary. Clearly, however, there has evolved a realization that the potential role of EMS in monitoring community health and in improving it can be so much more.

EMS workers enjoy access to the community that most other aspects of the public safety and health care delivery systems do not. They are entrenched in the community and are often among its most trusted members, especially in the case of volunteers, and are valued for their commitment and expertise. They are readily invited into peoples' homes and into other situations, without second thought. They often have the advantage of witnessing, first hand, the environments, circumstances or conditions, and the behavior that led to illness or injury. Thus, EMS personnel have the knowledge of the community and its members that is necessary to create health-promoting interventions. They have access to the community that is unparalleled, enabling them to monitor conditions and carry interventions to the appropriate target. What EMS too often does not have are partners in health care that can help maximize the potential of the system to use pre-existing resources to do better work.

There is now growing momentum across the United States to better integrate EMS with other components of the health care system. All of these components have the same goal, to improve community health. In most cases integration manifests as improved communication where there

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



previously was none; collaboration to monitor a problem, develop a solution, or initiate a project; or delivery of specific care. Numerous EMS systems have developed relationships with social service agencies, enabling EMS personnel to make expedited referrals to programs for elder care, meals on wheels, and others. Some EMS systems have developed communication networks to advise patients' physicians when they have evaluated, but not transported, a person, so that appropriate follow-up of the condition occurs. EMS systems are developing programs so that they, themselves, follow-up with patients who they evaluated but did not transport and patients who are chronic users of the system. In this way the system is able to intervene on a routine basis, before an emergency occurs. Some innovative systems have implemented programs to monitor certain chronic conditions among select people in their communities. The hope is that early identification of deterioration or complication development will lead to earlier care and less morbidity. Others have collaborated with public health departments to enhance surveillance of certain problems, such as occupational injury, deliver important messages to community members, or provide preventative care, as in having EMS personnel provide influenza vaccines.

The common feature of all attempts to better integrate EMS with the other aspects of the health care system is communication. It is development of processes for exchange of information and ideas among agencies and organizations whose missions' overlap, but whose paths do not otherwise cross.

### 3.17.1. RECOMMENDED SERVICE LEVEL-HIGH

The Department, with the assistance of the Board of Supervisors, implements and maintains a Loudoun County Integrated Community Health Task Force. Its purpose is to develop lines of communication among the County's interests in the health care system, including the EMS system, social service agencies, public health entities, medical organizations, health care insurers, and others. The goal is to create projects and programs that identify specific community health needs and interventions aimed at addressing them. The Department plays varying active roles in these efforts, collecting data, sharing information, providing surveillance, finding cases, making referrals, following up with its patients, and/or delivering targeted interventions. The EMS system follows-up all its cases involving patients who are not transported, and routinely transmits a record of such cases to patients' primary health care provider when that information is known.

## 3.17.2. FINANCIAL IMPLICATIONS

Integrated Health Task Force	\$10,000
Equivalent paramedic staff time (1 FTE)	\$60,000
No other direct costs	

## 3.17.3. RATIONALE

Loudoun County is progressive and sophisticated. Its EMS system should be as well. The high service level connotes an EMS system that is proactive in affecting the health of its community, which is the system's ultimate goal. The justification of resources committed to the Department is much more sound when those resources are being used to their full potential and in a manner consistent with there intended purpose. As noted above, there are numerous opportunities within Loudoun County, or any other community, to better integrate EMS with other entities in the health care system. Efforts are ongoing around the country to capitalize on these opportunities as they can be identified and pursued without excessive costs. At moderate marginal cost, the potential can be created for the

# MODEL PLAN RECOMMENDED SERVICE LEVELS AND IMPLEMENTATION PLAN



Department to affect the community and the health of its members to a far greater extent by being more than just a means to the hospital after an emergency has occurred.

### 3.17.4. IMPLEMENTATION PLAN

- ☐ The Chief and the Commission will develop the duties and responsibilities of the Loudoun County Integrated Community Heath Task Force. A mission statement and goals and objectives will be developed. (24-36 months)
- ☐ The Chief, the Commission, and the Board of Supervisors implement the Loudoun County Integrated Community Heath Task Force. (24-26 months)
- ☐ The Chief establishes a paramedic position to serve as the liaison between the Fire and Rescue Department and the medical community. (24-36 months)
- □ The Chief will establish a follow-up procedure for all patients transported into the health care system. A means to track the outcomes of patients will be established and reported in macro terms to identify trends. (24-36 months)
- ☐ The Task Force will adopt a work plan and present a semi-annual report to the Chief, Commission and the Board of Supervisors. (36-48 months)
- ☐ The Task Force will explore opportunities for the EMS System to provide some basic health care treatments such as inoculations and vaccinations. (36-48 months)
- □ The Task Force will work with the Department to address hospital and pre-hospital issues with the overall treatment of the patient being the driving force for decisions. (36-38 months)